


TOILETS & SUPORT DETAILS



General plumbing fixtures:

Tea station kitchen:

1. White gloss cabinets.
2. Silestone Mythology Blanco Zeus 40 mm (20x20 mm) countertop. (OMITTED)
3. Silestone Mythology Blanco Zeus 12 mm partial back wall cover. (OMITTED)
4. Stainless steel D shaped cabinet handles. 352x10 mm.
5. Silestone 12 mm Mythology Blanco Zeus 12 mm partial back wall cover. (OMITTED)
6. Simg L0861D Single Bowl Single Drainer Ultra Low Profile Sink.

Storage Space:

7. Gofite, wall mounted Single Lever Mixer.
8. Duravit, utility basin, Starck 3 #031346.
9. Kerox, stainless steel finish bottle trap. 55906.

General pavements:

- PAV 1  
Solus Ceramics, AU GNR 050 Anthracite Bright, 300x600 mm, R9 slip rating.
- PAV 2  
15 mm painted parquet, Bergland-parker Ash Technograu Trend-Epoca 2400x140x15 mm, glued installation with Sikabond T54.
- PAV 3  
Solus Ceramics, Modular Swab50189 light grey, 100x100 mm.

General walls:

- EWL 1  
Glazed Balustrade, Laminated (extra clear low-iron) glass.
- EWL 2  
Acoustic laminated safety (extra clear low-iron) glass, transparent PVB, vertical sealed joints.
- EWL 3  
12.5 mm double layer of standard plasterboard painted white RAL 9010.
- EWL 4  
12.5 mm sound resistant double layer of plasterboard painted white RAL 9010.
- EWL 5  
12.5 mm moisture resistant double layer of plasterboard painted white RAL 9010.
- EWL 6  
Solus Ceramics, Modular Swab50189 light grey, 100x100 mm.
- EWL 7  
12.5 mm moisture resistant double layer of plasterboard.
- EWL 8  
12.5 mm sound resistant double layer of plasterboard.
- EWL 9  
30 mm Kemmitt duct panel, Noxx TR, white 9095.

Wall coverings to define:

- EWL 1  
70 mm Lightweight metal stud at 600 mm centers.
- EWL 2  
70 mm Lightweight metal stud at 600 mm centers.
- EWL 3  
67mm Acoustic partition slab between studs.
- EWL 4  
50 mm Lightweight metal stud at 600 mm centers.
- EWL 5  
50 mm Lightweight metal stud at 600 mm centers.
- EWL 6  
47mm Acoustic partition slab between studs.
- EWL 7  
90 mm Lightweight metal stud at 600 mm centers.
- EWL 8  
67mm Acoustic partition slab between studs.

General ceilings:

- CEI 1 - 2ND FLOOR  
Suspended ceilings system.  
Standard plasterboard painted white RAL 9010.
- CEI 1 - 3RD FLOOR  
Suspended ceilings system.  
12.5 mm double layer of standard plasterboard painted white RAL 9010.
- CEI 2  
Suspended ceilings system.  
Moisture resistant plasterboard painted white RAL 9010.
- CEI 3  
Suspended ceilings system.  
Plasterboard painted white RAL 9010 (Sound resistant double layers of 12.5 mm each side).
- CEI 4  
100 mm Acoustic partition slab between light steel joists.
- CEI 5  
Ceiling tiles 600x600x15 mm, Rockfon Pacific® range, E edge detail.  
Rockfon White pre-finished.

- CEI 5  
Metal suspended ceiling 800x300x30 mm, SAS International.  
Polyester powder coated in standard range White RAL 9010.
- # Separation between ceramic tiles and panel flooring with Schlüter - SCHIENE - stainless steel.  
# Movement joints with Schlüter® - DILEX EGSN - movement zone on synthetic rubber.  
on tiles - GS (Ral 9011) insert; on wood - HB (Ral 1019) insert.  
# All visible steel plates coated in white RAL 9010.

USE THIS DRAWINGS FOR CEILING EQUIPMENT SETTING OUT

CONSTRUCTION

REVISION	DATE	DESCRIPTION
A	28.10.08	REQUESTED PLUMBING FIXTURES TO STORAGE SPACE
B	20.01.09	DOUBLE SOCKET LOCATION & SILSTONE REPLACEMENT

AUDIO WEST LONDON	DATE: JAN 09	SCALE: 1/200x14	9.12
LONDON, UK			
3RD FLOOR ANCILLARY ROOMS - SECTIONS	CONSTRUCTION DRAWINGS	ASST: FERNANDO CARLOTA	
		RESP: MIGUEL BEJIZA	

Architect: PAV 30, 300x600x15 mm, Rockfon Pacific® range, E edge detail. Rockfon White pre-finished.

Do not Scale. Used figured dimensions only. All dimensions to be checked on site.

All drawings to be read in conjunction with the Engineer's drawings. Any discrepancies between consultants drawings to be reported to the Architect before any work commences.