DOOR No	LOCATION	REF (as dwg No 522)	FD30S		WIDTH OF DOOR LEAF	SEE NOTES BELOW
DS01	YEAR 6	2	X			D2 G1
DS02	GROUP ROOM	2	X			D2 G1
DS03	CIRCULATION	4	X			G1
DS04	CIRCULATION	5	X			G1
DS06	GROUP ROOM	4	X			D2 G1
DS07	ACCESSIBLE WC	4		solid door		
DS08	GROUP ROOM	4	X			D2 G1
DS09	GIRLS WC	4		obscure glass	726	
DS10	BOYS WC	4		obscure glass	726	
DS11	SEN OFFICE	2	X			D2 G1
DS12	YEAR 6	4	X		SM	D2 G1
DS13	CIRCULATION	5	X			G1
DS15	STAIR	3	X			G1
DS16	STAIR	3	X			G1
DS17	CIRCULATION	7	X			G1
DS18	GROUP ROOM	8	X		SM	D2 G1
DS19	YEAR 6 UNIT	8	X			D2 G1
DS23A	HALL	7	X			D2 G1
DS23B	HALL	7	X			D2 G1
DS24A/B	CIRCULATION	9	X			G1
DS25A	STORE	1	X		610	
DS25B	GIRLS WC	8		obscure glass		
DS26	BOYS WC	8		obscure glass		
DS27A	STAFF WC	4		solid door	726	
DS27B/C	CLEANERS	1	X	pair of doors	726	
DS27D	LOBBY	8				
DS28	YEAR 5 UNIT	8	X		SM	D2 G1
DS35	STAIR	7	X			G1

All door leaf widths to be 926mm unless otherwise stated
SM refers to width to be site measured
D2 refers to batwing seals on 3 sides plus retractable threshold seals
G1 refers to 10mm Pilkington Pyrodur glazing to doors and glazed panels
All joinery details to match those of new doors in first phase works
All dimensions to be confirmed prior to manufacture
Fully glazed doors and panels to have manifestation at 900 & 1500mm above ffl. Design of manifestation TBC.

Rev A, 06.11.09: general amendments and revised in line with VE items

project5 ARCHITECTURE
2A HIGH STREET
BARLEY
ROYSTON
HERTS SG8 8HZ

Tel: 01763 848428
Fax:01763 849072

LAYCOCK PRIMARY SCHOOL, LAYCOCK N1

APRIL 2009

INTERNAL DOOR SCHEDULE / 2

LS2-T-521.A