

T.Brewer & Co Ltd - Price Schedule:1 Feb 2010: Raphael Contracting Ltd

Brewer's hold extensive stocks on the quay and at their yards, ensuring a superb variety of widths and lengths for immediate delivery.

Wherever possible, Carcassing material is sourced from one sawmill in Sweden, giving excellent and consistent quality.

Carcassing, Fencing & Decking

All stock Carcassing is Kiln Dried, Planer Regularised (with eased edges), Strength Graded to C16 or C24, and Preservative Treated.

Perfect for high quality work, ensuring level floors, consistent stud walls, time after time!

Sawn / Planer Regularised, Kiln Dried, Regularised, Graded C16

Description	Your Price	Per
47 X 75 KD Planer Regularised Softwood, FSC Mixed 70%, 46f X 70f	75.05	100m
47 X 100 KD Planer Regularised Softwood C16 Graded, up to 4.8mtr, FSC Mixed 70%, 46f X 95f	99.62	100m
38 X 50 Sawn Carcassing (Resawn)	54.57	100m
47 X 50 KD Planer Regularised Softwood, FSC Mixed 70%, 46f X 45f	49.79	100m

Sawn, Treated

Description	Your Price	Per
19 X 38 Sawn Treated PEFC	23.58	100m
25 X 38 Sawn Treated PEFC (Resawn)	29.88	100m
25 X 50 Sawn Treated FSC (Resawn)	34.10	100m
25 X 75 Sawn Treated (Resawn)	68.22	100m
25 X 100 Sawn Treated (Resawn)	81.87	100m
25 X 150 Sawn Treated (Resawn)	116.00	100m

Constructional Timber Surcharges

Please note that prices are based on lengths up to and including 5.4mtrs - all longer lengths are priced as follows:

6.0mtrs +15%

C24 Grade Selected +15%

6.6mtrs / 7.2mtrs +33%

* 6.6mtr & 7.2mtr (& Longer) Lengths Available In Many Sizes - Please Ask Your Yard Sales Team For Details.

Engineered I Joists

Brewer's are main distributors of James Jones I Joists & Glulam.

Please contact Les Algar on:

Tel: 020 7720 9494

Mobile: 07956 850731

email: les.algar@tbrewer.co.uk

T.Brewer & Co Ltd - Price Schedule:1 Feb 2010: Raphael Contracting Ltd

Sawn / Planer regularised, Treated, Kiln Dried, Graded C16

Description	Your Price	Per
47 X 75 KD Planer Regularised, Treated Softwood, FSC Mixed 70%, fin 46 X 70	89.19	100m
47 X 100 KD Planer Regularised, Treated C16 Softwood, up to 4.8mtr, FSC Mixed 70%, fin 46 X 95	115.45	100m
47 X 125 KD Planer Regularised, Treated C16 Softwood, up to 4.8mtr, FSC Mixed 70%, fin 46 X 120	152.20	100m
47 X 150 KD Planer Regularised, Treated C16 Softwood, up to 4.8mtr, FSC Mixed 70%, fin 46 X 145	178.44	100m
47 X 175 KD Planer Regularised, Treated C16 Softwood, up to 4.8mtr, FSC Mixed 70%, fin 46 X 170	209.95	100m
47 X 200 KD Planer Regularised, Treated C16 Softwood, up to 4.8mtr, FSC Mixed 70%, fin 46 X 195	236.20	100m
47 X 225 KD Planer Regularised, Treated C16, Softwood, up to 4.8mtr, FSC Mixed 70%, fin 46 X 220	262.45	100m
75 X 150 KD Planer Regularised, Treated C16 Softwood, up to 4.8mtr, FSC Mixed 70%, fin 73 X 145	288.70	100m
75 X 200 KD Planer Regularised, Treated C16 Softwood, up to 4.8mtr, FSC Mixed 70%, fin 73 X 195	377.95	100m
75 X 225 KD Planer Regularised, Treated C16 Softwood, up to 4.8mtr, FSC Mixed 70%, fin 73 X 220	419.96	100m
47 X 50 KD Planer Regularised, Treated Softwood, FSC Mixed 70%, fin 46 X 45	59.80	100m
75 X 100 KD Planer Regularised, Treated C16 Softwood, up to 4.8mtr, FSC Mixed 70%, fin 73 X 95	188.95	100m

Carcassing, Fencing & Decking Sections

Fencing, Treated

Description	Your Price	Per
2EX 22 X 100 Featheredge Treated	47.75	100m
75 X 75 Arris Rail Treated SQ END	102.35	100m
75 X 75 Sawn Treated (Resawn)	178.44	100m
100 X 100 Sawn Treated	395.17	100m

Decking - Grooved

Description	Your Price	Per
32 X 150 'Brewer Pattern' Redwood Treated Decking PEFC	155.97	100m
21 x 145 mm Massaranduba Reeded/Grooved Decking	479.96	100m

Machining - Brewer's Offer a Full Timber Machining Service.

- * Sawing & Resawing
- * Special Moulding & Pattern Matching
- * Planing & Thicknessing
- * Softwood & Hardwood Machining
- * Sheet Material Cutting

Brewer's Offer A Total Timber Service - Not Just The Easy Bits!

Remember: If you have a large enquiry, we will always price it separately.

T.Brewer & Co Ltd - Price Schedule:1 Feb 2010: Raphael Contracting Ltd

P.A.R / P.S.E Sections

Brewer's take great pride in ensuring that prepared timber sections are produced from high grade material.

Customers' sites and workshops find that wastage and productivity levels improve by choosing Brewer's.

Section Size, Grade & Specie Option

Description	Your Price	Per
12 X 50 Unsorted Redwood Boards PAR, PEFC 70%	88.51	100m
12 X 100 Unsorted Redwood Boards PAR, PEFC 70%	167.72	100m
19 X 38 Unsorted Redwood Boards PAR, PEFC 70%	64.45	100m
19 X 50 Unsorted Redwood Boards PAR, PEFC 70%	78.43	100m
19 X 75 Redwood Boards PAR, PEFC	103.12	100m
19 X 100 Redwood Boards PAR, PEFC	131.54	100m
19 x 150 Redwood Boards PAR, PEFC	201.07	100m
22 X 50 Standard Grade PAR Softwood, PEFC 70%	42.95	100m
25 X 38 Unsorted Redwood Boards PAR, PEFC 70%	100.72	100m
25 X 50 Unsorted Redwood Boards PAR, PEFC 70%	69.82	100m
25 X 75 Redwood Boards PAR, PEFC 70%	89.17	100m
25 X 100 Redwood Boards PAR, PEFC 70%	110.67	100m
25 X 150 Redwood Boards PAR, PEFC 70%	166.57	100m
25 X 175 Redwood Boards PAR, PEFC 70%	204.20	100m
25 X 200 Redwood Boards PAR, PEFC 70%	247.19	100m
25 X 225 Redwood Boards PAR, PEFC 70%	290.20	100m
32 X 38 Unsorted Redwood PAR, PEFC 70%	75.20	100m
32 X 50 Unsorted Redwood PAR, PEFC 70%	96.70	100m
32 X 100 Redwood PAR, PEFC 70%	179.94	100m
32 X 115 Redwood PAR fin 106, PEFC 70%	202.61	100m
32 X 138 Redwood PAR fin 131, PEFC 70%	209.60	100m
32 X 150 Redwood Boards PAR	227.76	100m
38 X 50 Unsorted Redwood PAR, PEFC 70%	107.44	100m
38 X 75 Redwood PAR, PEFC	159.61	100m
38 X 100 Redwood PAR, PEFC	207.42	100m
38 X 150 Redwood PAR, PEFC	308.47	100m
50 X 50 Standard Grade PAR Softwood fin 44 x 44, PEFC 70%	75.20	100m
50 X 75 Standard Grade PAR Softwood fin 44 x 70, PEFC 70%	107.44	100m
50 X 100 Standard Grade PAR Softwood fin 44 x 95, PEFC 70%	145.07	100m
50 X 125 Redwood PAR	300.43	100m
50 X 150 Unsorted Redwood PAR, PEFC 70%	377.30	100m
75 X 75 Unsorted Redwood PAR, PEFC 70%	321.40	100m
75 X 100 Unsorted Redwood PAR, PEFC 70%	419.22	100m

T.Brewer & Co Ltd - Price Schedule:1 Feb 2010: Raphael Contracting Ltd

Description	Your Price	Per
100 X 100 Unsorted Redwood PAR, PEFC	698.72	100m

Please remember - if you need a large quantity of ANY item, or mix of items, we will always quote separately!

DID YOU KNOW ?

Brewer's have 4 yards across the London and Home Counties, giving a large 'Premier' Delivery area. This means that Brewer's can supply you from Tadworth in the South to Letchworth in the North - and Aylesbury in the West to Tilbury in the East.

Next day guaranteed, for all orders received by 3.00pm.

Deliveries for outside this area can be arranged through any of our yards below:

Amersham

Tel: 01494 713172 Unit 5, Penn Street Works, Penn Street,

Fax: 01494 713546 Amersham, Bucks, HP7 0PX

email: amersham@tbrewer.co.uk

Clapham (Depot & Head Office)

Tel: 020 7720 9494 Timber Mill Way, Gauden Road,

Fax: 020 7622 0426 Clapham, London, SW4 6LY

email: clapham@tbrewer.co.uk

Enfield (Enfield Timber)

Tel: 020 8804 1800 1 - 23, Hertford Road, Enfield Highway,

Fax: 020 8443 4569 Enfield, Middx., EN3 5JD

Email: enfield@tbrewer.co.uk

Lewisham

Tel: 020 7720 9494 Old Station Yard, Springbank Road,

Fax: 020 7622 0426 London, SE13 6SS.

email: lewisham@tbrewer.co.uk

T.Brewer & Co Ltd - Price Schedule:1 Feb 2010: Raphael Contracting Ltd

2nd Fix Items

Description	Your Price	Per
22 X 150 Sawfalling Whitewood PTG fin 19, PEFC 70%	146.71	100m
19 X 50 Chamfered & Rounded Architrave Ex Redwood boards, PEFC 70%	59.07	100m
19 X 75 Chamfered & Rounded Architrave Ex Redwood boards, PEFC 70%	69.82	100m
19 X 100 Dual Purpose Chamfered & Rounded Skirting Ex Redwood boards, PEFC 70%	96.70	100m
19 X 150 Dual Purpose Chamfered & Rounded Skirting Ex Redwood boards	161.19	100m
25 X 50 Ogee Architrave Ex Redwood boards, PEFC 70%	83.82	100m
25 X 63 Ogee Architrave Ex Redwood boards, PEFC 70%	85.95	100m
25 X 75 Ogee Architrave Ex Redwood boards, PEFC 70%	96.70	100m
25 X 150 Torus/Ogee Skirting Ex Redwood boards, PEFC 70%	193.45	100m
25 X 175 Torus/Ogee Skirting Ex Redwood boards, PEFC 70%	225.70	100m
25 X 225 Torus/Ogee Skirting Ex Redwood boards, PEFC 70%	333.20	100m
32 X 115 Redwood Lining Set, PEFC 70%	10.45	ea
32 X 138 Redwood Lining Set, PEFC 70%	13.24	ea
22 X 150 Standard Grade PAR Softwood fin 19, PEFC 70%	139.72	100m
18 X 68 MDF Ogee Architrave Primed FSC Mixed 50%	74.95	100m
18 X 144 MDF Ogee Skirting Primed FSC Mixed 50%	144.95	100m
18 X 144 MDF Torus Skirting Primed FSC Mixed 50%	144.95	100m
25 X 219 MDF Window Board Primed FSC Mixed 50%	279.95	100m
25 X 244 MDF Window Board Primed FSC Mixed 50%	313.38	100m

Brewer's experience has shown that 2nd fix items need to be produced from top grade materials - they are the pieces which people see every day!

Most items are machined therefore from higher grades, in board form, to ensure excellent quality.

* Dual Purpose - Chamfered & Rounded on one side, with Pencil Round to reverse.

* Door Lining Sets - Pre Haunched - Please check on door sizes before ordering.

All of these 'Premier' items are available ex stock, for delivery next working day.

Please contact our sales office for special pricing on large enquiries!

T.Brewer & Co Ltd - Price Schedule:1 Feb 2010: Raphael Contracting Ltd

Brewer's experience working with importing agencies and companies, monitoring environmental & conformance policies, ensures that customers receive top grade material, competitively, and ecologically sourced.

Chain of Custody (CoC) - What Does It Mean?

CoC is a method of tracking timber from source. The normal method of verifying CoC is by using an approved scheme. The Government has approved the following schemes:

CSA FSC MTCS PEFC SFI

Most specifiers now understand that PEFC is equally acceptable to FSC, but sometimes they limit materials to one scheme. This can cause problems on quality and availability.

Brewer's are registered to supply CoC through all of the approved schemes and well over 90% of all ex-stock products carry CoC certification.

It is, however, extremely important for customers to request CoC at the time of ordering. If customers ask for proof of CoC after delivery, it may be found that some items are uncertified.

Sheet Materials

B/BB,WBP, Hardwood Faced Plywood

Description	Your Price	Per
Hardwood Faced Plywood Exterior 2440 X 1220 X 4MM CE4 Conforms to EN13986 2004	5.37	ea
Hardwood Faced Plywood Exterior 2440 X 1220 X 5.5/6.0MM CE4 Conforms to EN13986 2004	6.90	ea
Hardwood Faced Plywood Exterior 2440 X 1220 X 9MM CE4 Conforms to EN13986 2004	9.57	ea
Hardwood Faced Plywood Exterior 2440 X 1220 X 12MM CE4 Conforms to EN13986 2004. This Panel is NOT sold as Structural.	13.35	ea
Hardwood Faced Plywood Exterior 2440 X 1220 X 15MM CE4 Conforms to EN13986 2004. This Panel is NOT sold as Structural.	16.44	ea
Hardwood Faced Plywood Exterior 2440 X 1220 X 18MM CE4 Conforms to EN13986 2004. This Panel is NOT sold as Structural.	17.97	ea
Hardwood Faced Plywood Exterior 2440 X 1220 X 25MM CE4 Conforms to EN13986 2004. This Panel is NOT sold as Structural.	25.12	ea

These boards are not tested to BS5268 Pt2, and are not sold as Structural

Softwood Pine Plywood, Exterior Glued, 'Solid 1 Side'

Description	Your Price	Per
Softwood Pine Plywood Exterior 2440 X 1220 X 9mm Conforms to CE4 EN13986 2004. This Panel is NOT sold as Structural	11.19	ea
Softwood Pine Plywood Exterior 2440 X 1220 X 12mm Conforms to CE4 EN13986 2004. This Panel is NOT sold as Structural.	12.57	ea
Softwood Pine Plywood Exterior 2440 X 1220 X 18mm, FSC Certified	15.95	ea

The 9mm & 12mm boards are not tested to BS5268 Pt2 and are not sold as structural

Please contact our sales office for pricing on large enquiries!

T.Brewer & Co Ltd - Price Schedule:1 Feb 2010: Raphael Contracting Ltd

Spruce Plywood, Exterior Glued, Structural to BS5268 Pt2

Description	Your Price	Per
Spruce Plywood 111/111 EXTERIOR PEFC 70% 2440 X 1220 X 12. CE Structural, conforms to BS 5268 Part 2	15.67	ea
Spruce Plywood 111/111 EXTERIOR PEFC 70% 2440 X 1220 X 18. CE Structural, conforms to BS 5268 Part 2	21.80	ea
Spruce Plywood, Exterior P30 CPC 2440 X 1220 X 18MM Structural, Conforms to BS5268 Part 2	21.80	ea
Spruce Plywood 111/111 EXTERIOR PEFC 70% 2440 X 1220 X 24. CE Structural, conforms to BS 5268 Part 2	30.68	ea
Sprucefloor Plywood 111/111 TG4 Edges EXTERIOR PEFC 70% 2400 X 600 X 18 CE Structural, conforms to BS 5268 Part 2	13.07	ea
TG4 Spruce Plywood, Ext P30 CPC 2400 X 600 X 18MM Structural, Conforms to BS5268 Part 2	13.07	ea
Sprucefloor Plywood 111/111 TG4 Edges EXTERIOR PEFC 70% 2400 X 600 X 21. CE Structural, conforms to BS 5268 Part 2	16.75	ea
TG4 Spruce Plywood,Ext P30 CPC 2400 X 600 X 21MM Structural, Conforms to BS5268 Part 2	16.75	ea

WBP Plywood - What Does It Mean?

WBP is an old term (it stands for 'Weather & Boil Proof') - it is no longer an approved description. It has been superseded by the term 'Exterior Glued'.

All of Brewer's Plywoods are 'Exterior Glued' which means they have been boil tested and checked to ensure that they are suitable for exterior use.

No Plywoods are Water Proof!! They must all be protected from rain/snow/moisture, by some coating or covering, even temporarily.

Sometimes customers advise that plywood has delaminated. Usually, this is the face veneer starting to come away from the sheet, because it has been left exposed; water has soaked into the veneer, causing it to expand and break away.

Brewer's cannot accept any claims in these situations.

OSB (Orientated Strand Board)

Description	Your Price	Per
Orientated Strand Board (OSB) Type 2 FSC Mixed 70% 2440 X 1220 X 8	9.49	ea
Orientated Strand Board (OSB) Type 2 FSC Mixed 70% 2440 X 1220 X 11	9.66	ea
Orientated Strand Board (OSB) Type 3 Conditioned BBA Certified FSC Mixed 70% 2440 X 1220 X 18	14.22	ea
* 8mm & 11mm are not structural materials		
* OSB 3 18mm is structural under agreement certification		

'Structural' Sheet Materials - What does it all mean? What should I do?

Where sheet materials are fixed to floors, walls, roofs and any other structural applications, a panel that has been structurally tested must be used. Brewer's cannot be held responsible in these situations.

Using Non-Structural boards for these applications is almost certain to be in breach of the relevant building regulations, and could result in materials having to be replaced.

There are a variety of methods to achieve a Structural Rating:

* BS5268 Pt2 - Probably the strictest test.

* CE2+'S' - This is the EU method of verification.

* Agreement Certification - Sometimes used on new materials.

* Please note: CE2+ without the 'S' means nothing!!

Please discuss your requirements with our sales teams to make sure that you get the right product for the job!

T.Brewer & Co Ltd - Price Schedule:1 Feb 2010: Raphael Contracting Ltd

MDF Standard Grade

Description	Your Price	Per
Medium Density Fibreboard (MDF) Standard Grade FSC Mixed 50% 2440 X 1220 X 6MM	6.47	ea
Medium Density Fibreboard (MDF) Standard Grade FSC Mixed 50% 2440 X 1220 X 9MM	8.95	ea
Medium Density Fibreboard (MDF) Standard Grade FSC Mixed 50% 2440 X 1220 X 12MM	9.95	ea
Medium Density Fibreboard (MDF) Standard Grade FSC Mixed 50% 2440 X 1220 X 15MM	10.37	ea
Medium Density Fibreboard (MDF) Standard Grade FSC Mixed 50% 2440 X 1220 X 18MM	11.67	ea
Medium Density Fibreboard (MDF) Standard Grade FSC Mixed 50% 2440 X 1220 X 25MM	17.95	ea

* These boards are not tested to BS5268

MDF Moisture Resistant V313 (NOT EXTERIOR)

Description	Your Price	Per
Medium Density Fibreboard (MDF) V313/MR FSC Mixed 50% 2440 X 1220 X 6MM	7.49	ea
Medium Density Fibreboard (MDF) V313/MR FSC Mixed 50% 2440 X 1220 X 9MM	9.39	ea
Medium Density Fibreboard (MDF) V313/MR FSC Mixed 50% 2440 X 1220 X 12MM	11.34	ea
Medium Density Fibreboard (MDF) V313/MR FSC Mixed 50% 2440 X 1220 X 18MM	14.88	ea
Medium Density Fibreboard (MDF) V313/MR FSC Mixed 50% 2440 X 1220 X 25MM	21.89	ea

* These Boards are not tested to BS5268

T&G Flooring Grade Chipboard, P5 (Moisture Resistant) to BS5268, Structural

Description	Your Price	Per
Flooring Grade Chipboard TG4 P5 MR FSC Mixed 70% 2400 X 600 X 18	4.95	ea
Flooring Grade Chipboard TG4 P5 MR FSC Mixed 70% 2400 X 600 X 22	5.95	ea

We also offer a huge range of specialist boards for a large variety of applications.

* Veneered Boards - Plywood, Chipboard, MDF Substrates

* Various Species - Oak, Ash, Beech, Cherry, Walnut, and many more....

* Large Sheet Sizes - 3050 x 1525, 3600 x 1220 and many others available to order.

* Flame Retardant - Class '0', Class '1', on MDF, Plywood & Chipboard.

Please contact our sales department for further information on these or any other specialist products.

Standard Grade Hardboard

Description	Your Price	Per
Finnish Standard Grade Hardboard PEFC 50% 1220 X 2440 X 3.2MM	3.90	ea
Finnish Standard Grade Hardboard PEFC 50% 610 X 1220 X 3.2MM	1.43	ea

* These boards are not tested to BS5268

T.Brewer & Co Ltd - Price Schedule:1 Feb 2010: Raphael Contracting Ltd

Masterboard (up to maximum 1 hour rating)

Description	Your Price	Per
Cape Masterboard 2440 X 1220 X 6MM	36.95	ea
Cape Masterboard 2440 X 1220 X 12MM	102.95	ea

* All fire ratings must be approved by relevant authority

Wedi Tile Backer Board & Fixings

Description	Your Price	Per
Wedi Tilebacker Board BA6 1250 X 600 X 6MM	13.02	ea
Wedi Tilebacker Board BA10 2500 X 600 X 10MM	28.35	ea
Wedi Tilebacker Board BA12.5 (625) 2500 X 625 X 12.5MM	30.16	ea
Wedi Tilebacker Board BA20 2500 X 600 X 20MM	30.06	ea
Wedi PW60 Metal Washers (100)	13.09	ea
Wedi PD80 Plastic Dowels 80mm (100 per box)	31.71	ea
Wedi TT25 Jointing Tape (Non Wet Areas)	9.29	ea
Wedi WT50 Waterproof Joint Sealing Tape 50 Mtr Roll	140.60	ea
Wedi WT50 W'Proof Joint Sealing Tape 5mtr	14.06	ea

Quinn Therm - Foil Faced Insulation / Thermal Board (Rigid PIR)

Description	Your Price	Per
2400x1200x25mm Quinnterm	8.99	ea
2400x1200x50mm Quinnterm	13.99	ea
2400x1200x70mm Quinnterm	18.99	ea
2400x1200x90mm Quinnterm	23.98	ea
2400x1200x100mm Quinnterm	25.99	ea

Ideal for Pitched Roofs, Floors & Walls - BBA & IAB Accredited.

Conforms to IS EN ISO 9001:2000.

Quinn Therm is light, robust and easy to handle; it may be worked using a saw or sharp knife. It matches other brands (Celotex/Kingspan)

Please contact our sales office for pricing on large enquiries!

T.Brewer & Co Ltd - Price Schedule:1 Feb 2010: Raphael Contracting Ltd

Monarfloor Acoustic Systems

Sound Reduction Solutions

Description	Your Price	Per
Monarfloor Deck 9 - 600mm x 1200mm x 17mm	15.96	ea
Monarfloor Deck 18 - 600mm x 2400mm x 26mm	24.13	ea
Monarfloor Trideck - 600mm x 2400mm x 35mm	43.52	ea
Monarfloor Tranquility Underscreed - 20x1.5m	169.47	ea
Monarfloor Angle Flanking Band - 30x25x6mm (per length)	2.21	ea

All in stock at Clapham branch ready for immediate delivery.

Discount available for quantity.

Fibreglass Insulations - Rolls

Description	Your Price	Per
Fibreglass Ins 100mm 11.0 M2 Multi Pack	24.95	ea
Fibreglass Ins 150mm 6.99M2 Multi Pack	24.95	ea

Plasterboard Products

Description	Your Price	Per
Plasterboard Vapourshield (Foil Backed) Square Edge 2400 X 1200 X 12.5MM	6.65	ea
Plasterboard Fireshield Square Edge 2400 X 1200 X 12.5MM	5.98	ea
Plasterboard Moistureshield Tapered Edge 2400 X 1200 X 12.5MM	6.73	ea
Plasterboard Soundshield Tapered Edge 2400 X 1200 X 12.5mm	6.73	ea
Plasterboard Plank 2400 X 600 X 19MM	4.64	ea
Plasterboard Square Edged 2400 X 1200 X 9.5MM	4.64	ea
Plasterboard Square Edged 2400 X 1200 X 12.5MM	4.64	ea
Plasterboard Square Edged 1800 X 900 X 9.5MM	3.01	ea
Plasterboard Square Edged 1800 X 900 X 12.5MM	3.01	ea
Plasterboard Tapered Edge 2400 X 1200 X 9.5MM	4.64	ea
Plasterboard Tapered Edge 2400 X 1200 X 12.5mm	4.64	ea

Keylite Windows

T. Brewer have recently become stockists of Keylite Roof Windows.

In Keylite's own word 'Same Quality - Better Price'

In T. Brewer's words 'Better Quality - Better Price'

As an introductory offer, T. Brewer is offering Keylite windows at Velux list price LESS 30% !!

BBA Approved.

Please ask for a Keylite Product Brochure.

Stock held at Enfield Branch.

T.Brewer & Co Ltd - Price Schedule:1 Feb 2010: Raphael Contracting Ltd

Internal & External Doors

Internal 'Ply' Type Doors, Paint Grade, Lipped 2 Edges (L2E)

Description	Your Price	Per
JC26F1X 6'6" X 2'6" External Flush Door	52.46	ea
JC29F1X 6'6" X 2'9" External Flush Door	52.46	ea
JC20IPLF 6'6" X 2'0" Internal 1/2 Hr Ply	27.22	ea
JC23IPLF 6'6" X 2'3" Internal 1/2 Hr Ply	27.22	ea
JC26IPLF 6'6" X 2'6" Internal 1/2 Hr Ply	27.22	ea
JC28IPLF 6'8" X 2'8" Internal 1/2 Hr Ply	27.22	ea
JC29IPLF 6'6" X 2'9" Internal 1/2 Hr Ply	27.22	ea
JC20IPL3 6'6" X 2'0" Plywood Lipped Two	17.74	ea
JC23IPL3 6'6" X 2'3" Plywood Lipped Two	17.74	ea
JC26IPL3 6'6" X 2'6" Plywood Lipped Two	17.74	ea
JC28IPL3 6'8" X 2'8" Plywood Lipped Two	17.74	ea
JC29IPL3 6'6" X 2'9" Plywood Lipped Two	17.74	ea

External, Paint Grade, Door Blank, Unlipped, FD30*

Description	Your Price	Per
Door Blank 1981 X 762 X 45 FD30 (In Accordance with Manufacturers Recommendations)	58.47	ea
Door Blank 2058 X 838 X 45 FD30 (In Accordance with Manufacturers Recommendations)	59.77	ea
Door Blank 2135 X 915 X 45 FD30 (In Accordance with Manufacturers Recommendations)	59.95	ea
Door Blank 2440 X 1220 X 45 FD30 (In Accordance with Manufacturers Recommendations)	99.95	ea
Door Blank 2135 X 915 X 54 FD60 (In Accordance with Manufacturers Recommendations)	89.95	ea

* FD30/60 only when used in conjunction with other rated components to an approved specification.

We hope you find our prices to be competitive - when you add in our 'Premier' guaranteed next working day delivery, crane offload higher grades/quality, we know it's the case! Remember: If you have a large enquiry, we will always price it separately!