

T Brewer & Co Ltd - Raphael Contracting Ltd (23.01.2012)

Brewer's hold extensive stocks on the quay and at their yards, ensuring a superb variety of widths and lengths for immediate delivery.

Carcassing, Fencing & Decking

All stock Carcassing is Kiln Dried, Planer Regularised (with eased edges), Strength Graded to C16 or C24, and Preservative Treated.

Perfect for high quality work, ensuring level floors, consistent stud walls, time after time!

Sawn / Planer Regularised, Kiln Dried, Regularised, Graded C16 - FSC Certified

Description	Your Price	Per
47 X 75 KD Planer Reg'd Softwood, FSC Mix 70%, 46f X 70f	99.00	100m
47 X 100 KD Planer Reg'd Softwood C16 Graded, up to 4.8mtr, FSC Mix 70%, 46f X 95f	99.00	100m
38 X 50 Planer Reg'd Carcassing	101.05	100m
47 X 50 KD Planer Reg'd Softwood, FSC Mix 70%, 46f X 45f	69.00	100m

Sawn, Treated

Description	Your Price	Per
19 X 38 Sawn Treated FSC Mix 70%	24.00	100m
25 X 38 Sawn Treated FSC Mix 70%	41.93	100m
25 X 50 Sawn Treated FSC Mix 70%	45.00	100m
25 X 75 Sawn Treated (Resawn)	84.93	100m
22 X 100 Sawn Treated (Resawn)	95.68	100m
22 X 150 Sawn Treated (Resawn)	149.43	100m

Constructional Timber Surcharges

Please note that prices are based on lengths up to and including 4.8mtrs - all longer lengths are priced as follows:

5.4mtrs & 6.0mtrs + 25%

C24 Grade + 25%

6.6mtrs / 7.2mtrs p.o.a.

*** 6.6mtr & 7.2mtr (& Longer) Lengths Available In Many Sizes - Please Ask Your Yard Sales Team For Details.**

Engineered I Joists

Brewer's are main distributors of James Jones I Joists & Glulam.

Please contact Les Algar on:

Tel: 020 7720 9494 Mobile: 07956 850731

email: les.algar@tbrewer.co.uk

T Brewer & Co Ltd - Raphael Contracting Ltd (23.01.2012)

Sawn / Planer regularised, Treated, Kiln Dried, Graded C16 - FSC Certified

Description	Your Price	Per
47 X 75 KD Planer Reg'd, Treated Softwood, FSC Mix 70%, fin 46 X 70	99.00	100m
47 X 100 KD Planer Reg'd, Treated C16 Softwood, up to 4.8mtr, FSC Mix 70%, fin 46 X 95	119.00	100m
47 X 125 KD Planer Reg'd, Treated C16 Softwood, up to 4.8mtr, FSC Mix 70%, fin 46 X 120	169.00	100m
47 X 150 KD Planer Reg'd, Treated C16 Softwood, up to 4.8mtr, FSC Mix 70%, fin 46 X 145	189.00	100m
47 X 175 KD Planer Reg'd, Treated C16 Softwood, up to 4.8mtr, FSC Mix 70%, fin 46 X 170	229.00	100m
47 X 200 KD Planer Reg'd, Treated C16 Softwood, up to 4.8mtr, FSC Mix 70%, fin 46 X 195	249.00	100m
47 X 225 KD Planer Reg'd, Treated C16, Softwood, up to 4.8mtr, FSC Mix 70%, fin 46 X 220	279.00	100m
75 X 150 KD Planer Reg'd, Treated C16 Softwood, up to 4.8mtr, FSC Mix 70%, fin 73 X 145	339.00	100m
75 X 200 KD Planer Reg'd, Treated C16 Softwood, up to 4.8mtr, FSC Mix 70%, fin 73 X 195	449.00	100m
75 X 225 KD Planer Reg'd, Treated C16 Softwood, up to 4.8mtr, FSC Mix 70%, fin 73 X 220	499.00	100m
47 X 50 KD Planer Reg'd, Treated Softwood, FSC Mix 70%, fin 46 X 45	65.00	100m
75 X 100 KD Planer Reg'd, Treated C16 Softwood, up to 4.8mtr, FSC Mix 70%, fin 73 X 95	229.00	100m

Carcassing, Fencing & Decking Sections

Fencing, Treated

Description	Your Price	Per
2EX 22 X 100 Featheredge Treated	52.68	100m
75 X 75 Arris Rail Treated SQ END	138.68	100m
75 X 75 Sawn Treated (Resawn)	207.92	100m
100 X 100 Sawn Treated	428.93	100m

Decking - Grooved

Description	Your Price	Per
32 X 150 'Brewer Pattern' Redwood Treated Decking FSC Mix 70%	169.00	100m
21 x 145 mm Massaranduba Reeded/Grooved Decking	549.00	100m

Machining - Brewer's Offer a Full Timber Machining Service.

* Sawing & Resawing	* Special Moulding & Pattern Matching
* Planing & Thicknessing	* Softwood & Hardwood Machining
Cutting	* Sheet Material

Brewer's Offer A Total Timber Service - Not Just The Easy Bits!

Remember: If you have a large enquiry, we will always price it separately.

P.A.R / P.S.E Sections - FSC Certified

Section Size, Grade & Specie Option

Description	Your Price	Per
12 X 50 Unsorted Redwood Boards PAR, FSC Mix 70%	106.43	100m
12 X 100 Unsorted Redwood Boards PAR, FSC Mix 70%	213.93	100m
19 X 38 Unsorted Redwood Boards PAR, FSC Mix 70%	84.93	100m
19 X 50 Unsorted Redwood Boards PAR, FSC Mix 70%	127.93	100m
19 X 75 Redwood Boards PAR, FSC Mix 70%	170.93	100m
19 X 100 Redwood Boards PAR, FSC Mix 70%	203.18	100m
19 x 150 Redwood Boards PAR, FSC Mix 70%	267.68	100m
22 X 50 Standard Grade PAR Softwood, FSC Mix 70%	49.00	100m
25 X 38 Unsorted Redwood Boards PAR, FSC Mix 70%	95.68	100m
25 X 50 Unsorted Redwood Boards PAR, FSC Mix 70%	78.00	100m
25 X 75 Redwood Boards PAR, FSC Mix 70%	93.00	100m
25 X 100 Redwood Boards PAR, FSC Mix 70%	119.00	100m
25 X 150 Redwood Boards PAR, FSC Mix 70%	179.00	100m
25 X 175 Redwood Boards PAR, FSC Mix 70%	375.18	100m
25 X 200 Redwood Boards PAR, FSC Mix 70%	269.00	100m
25 X 225 Redwood Boards PAR, FSC Mix 70%	299.00	100m
32 X 38 Unsorted Redwood PAR, FSC Mix 70%	89.00	100m
32 X 50 Unsorted Redwood PAR, FSC Mix 70%	99.00	100m
32 X 100 Redwood PAR, FSC Mix 70%	267.68	100m
32 X 115 Redwood PAR fin 106, FSC Mix 70%	199.00	100m
32 X 138 Redwood PAR fin 131, FSC Mix 70%	239.00	100m
32 X 150 Redwood Boards PAR, FSC Mix 70%	321.43	100m
38 X 50 Unsorted Redwood PAR, FSC Mix 70%	109.00	100m
38 X 75 Redwood PAR, FSC Mix 70%	267.68	100m
38 X 100 Redwood PAR, FSC Mix 70%	428.93	100m
38 X 150 Redwood PAR, FSC Mix 70%	269.00	100m
50 X 50 Standard Grade PAR Softwood fin 44 x 44, FSC Mix 70%	99.00	100m
50 X 75 Standard Grade PAR Softwood fin 44 x 70, FSC Mix 70%	159.00	100m
50 X 100 Standard Grade PAR Softwood fin 44 x 95, FSC Mix 70%	199.00	100m
50 X 125 Redwood PAR, FSC Mix 70%	482.68	100m
50 X 150 Unsorted Redwood PAR, FSC Mix 70%	643.93	100m
75 X 75 Unsorted Redwood PAR, FSC Mix 70%	590.18	100m
75 X 100 Unsorted Redwood PAR, FSC Mix 70%	399.00	100m
100 X 100 Unsorted Redwood PAR	1,288.93	100m

2nd Fix Items - FSC Certified

T Brewer & Co Ltd - Raphael Contracting Ltd (23.01.2012)

Description	Your Price	Per
22 X 150 Sawfalling Whitewood PTG fin 19, FSC Mix 70%	149.43	100m
25 X 150 Redwood PTG fin 21, FSC Mix 70%	179.00	100m
19 X 100 Redwood PMV JTD, FSC Mix 70%	160.18	100m
19 X 125 Redwood Shiplap, FSC Mix 70%	170.93	100m
19 X 50 Chamfered & Rounded Architrave Ex Redwood boards, FSC Mix 70%	75.00	100m
19 X 75 Chamfered & Rounded Architrave Ex Redwood boards, FSC Mix 70%	69.00	100m
19 X 100 Dual Purpose Chamfered & Rounded Skirting Ex Redwood boards, FSC Mix 70%	99.00	100m
19 X 150 Dual Purpose Chamfered & Rounded Skirting Ex Redwood boards, FSC Mix 70%	169.00	100m
25 X 50 Ogee Architrave Ex Redwood boards, FSC Mix 70%	109.97	100m
25 X 63 Ogee Architrave Ex Redwood boards, FSC Mix 70%	89.00	100m
25 X 75 Ogee Architrave Ex Redwood boards, FSC Mix 70%	99.00	100m
25 X 150 Torus/Ogee Skirting Ex Redwood boards, FSC Mix 70%	189.00	100m
25 X 175 Torus/Ogee Skirting Ex Redwood boards, FSC Mix 70%	229.00	100m
25 X 225 Torus/Ogee Skirting Ex Redwood boards, FSC Mix 70%	437.17	100m
32 X 115 Redwood Lining Set (2'3"/2'6"), FSC Mix 70%	7.95	ea
32 X 138 Redwood Lining Set (2'3"/2'6"), FSC Mix 70%	9.95	ea
25 X 75 Traditional Dado Rail Ex U/S Redwood boards, FSC Mix 70%	192.43	100m
25 X 50 Ovolo Picture Rail Ex U/S Redwood boards, FSC Mix 70%	138.68	100m
32 X 225 Nosed & Tounge Window Board Ex U/S Redwood boards, FSC Mix 70%	643.93	100m
22 X 150 Standard Grade PAR Softwood fin 19, FSC Mix 70%	109.00	100m
18 X 68 MDF Ogee Architrave Primed, FSC Mix 70%	69.00	100m
18 X 144 MDF Ogee Skirting Primed, FSC Mix 70%	129.00	100m
18 X 144 MDF Torus Skirting Primed, FSC Mix 70%	129.00	100m
25 X 219 MDF Window Board Primed FSC Mix 70%	299.00	100m
25 X 244 MDF Window Board Primed FSC Mix 70%	295.00	100m

Brewer's experience has shown that 2nd fix items need to be produced from top grade materials - they are the pieces which people see every day!

Most items are machined therefore from higher grades, in board form, to ensure excellent quality.

* Dual Purpose - Chamfered & Rounded on one side, with Pencil Round to reverse.

* Door Lining Sets - Pre Haunched - Please check on door sizes before ordering.

T Brewer & Co Ltd - Raphael Contracting Ltd (23.01.2012)

KD Far Eastern Hardwood PSE

Description	Your Price	Per
50 X 150 KD Far Eastern Hardwood Flat Cill 95 Top (C8)	2,148.93	100m
32 X 175 KD Far Eastern Hardwood Window Board Nosed & Tounded	1,073.93	100m
32 X 225 KD Far Eastern Hardwood Window Board Nosed & Tounded	1,933.93	100m
25 X 32 KD Far Eastern Hardwood Firecheck Glass Bead (Hockey Stick)	267.68	100m
50 X 57 KD Far Eastern Hardwood Door Weather Mould	643.93	100m
25 X 50 KD Far Eastern Hardwood PSE	428.93	100m
25 X 75 KD Far Eastern Hardwood PSE	643.93	100m
25 X 100 KD Far Eastern Hardwood PSE	751.43	100m
25 X 125 KD Far Eastern Hardwood PSE	858.93	100m
25 X 150 KD Far Eastern Hardwood PSE	1,073.93	100m
25 X 200 KD Far Eastern Hardwood PSE	1,607.13	100m
25 X 225 KD Far Eastern Hardwood PSE	1,714.63	100m
50 X 75 KD Far Eastern Hardwood PSE	649.00	100m
50 X 100 KD Far Eastern Hardwood PSE	799.00	100m

Ex stock at Enfield & Lewisham only.

DID YOU KNOW ?

Brewer's have 4 depots across the London and Home Counties, giving a large 'Premier' Delivery area. This means that Brewer's can supply you from Tadworth in the South to Letchworth in the North - and Aylesbury in the West to Tilbury in the East.

Next day guaranteed, for all orders received by 3.00pm.

Deliveries for outside this area can be arranged through any of our yards below:

Amersham

Tel: 01494 713172 Unit 5, Penn Street Works, Penn Street,
Fax: 01494 713546 Amersham, Bucks, HP7 0PX email: amersham@tbrewer.co.uk

Clapham (Depot & Head Office)

Tel: 020 7720 9494 Timber Mill Way, Gauden Road,
Fax: 020 7622 0426 Clapham, London, SW4 6LY email: clapham@tbrewer.co.uk

Enfield (Enfield Timber)

Tel: 020 8804 1800 1 - 23, Hertford Road, Enfield Highway,
Fax: 020 8443 4569 Enfield, Middx., EN3 5JD Email: enfield@tbrewer.co.uk

Lewisham

Tel: 020 7720 9494 Old Station Yard, Springbank Road,
Fax: 020 7622 0426 London, SE13 6SS email: lewisham@tbrewer.co.uk

T Brewer & Co Ltd - Raphael Contracting Ltd (23.01.2012)

Brewer's experience working with importing agencies and companies, monitoring environmental & conformance policies, ensures that customers receive top grade material, competitively, and ecologically sourced.

Chain of Custody (CoC) - What Does It Mean?

CoC is a method of tracking timber from source. The normal method of verifying CoC is by using an approved scheme. The Government has approved the following schemes:

CSA FSC MTCS PEFC SFI

Most specifiers now understand that PEFC is equally acceptable to FSC, but sometimes they limit materials to one scheme. This can cause problems on quality and availability.

Brewer's are registered to supply CoC through all of the approved schemes and well over 90% of all ex-stock products carry CoC certification.

It is, however, extremely important for customers to request CoC at the time of ordering. If customers ask for proof of CoC after delivery, it may be found that some items are uncertified.

Sheet Materials

B/BB. Exterior Glued Hardwood Faced Plywood

Description	Your Price	Per
Hardwood Faced Plywood Exterior 2440 X 1220 X 4MM CE4 Conforms to EN13986 2004	8.59	ea
Hardwood Faced Plywood Exterior 2440 X 1220 X 5.5/6.0MM CE4 Conforms to EN13986 2004	8.99	ea
Hardwood Faced Plywood Exterior 2440 X 1220 X 9MM CE4 Conforms to EN13986 2004	12.99	ea
Hardwood Faced Plywood Exterior 2440 X 1220 X 12MM CE4 Conforms to EN13986 2004. This Panel is NOT sold as Structural.	15.99	ea
Hardwood Faced Plywood Exterior 2440 X 1220 X 15MM CE4 Conforms to EN13986 2004. This Panel is NOT sold as Structural.	24.52	ea
Hardwood Faced Plywood Exterior 2440 X 1220 X 18MM CE4 Conforms to EN13986 2004. This Panel is NOT sold as Structural.	19.99	ea
Hardwood Faced Plywood Exterior 2440 X 1220 X 25MM CE4 Conforms to EN13986 2004. This Panel is NOT sold as Structural.	29.99	ea

These boards are not tested to BS5268 Pt2, and are not sold as Structural

Marine Plywood 'BS1088'

Description	Your Price	Per
"Marine" Type Plywood Exterior 2440 X 1220 X 12 BS1088. This Panel is NOT sold as Structural.	24.99	ea
"Marine" Type Plywood Exterior 2440 X 1220 X 18 BS1088. This Panel is NOT sold as Structural.	39.99	ea

These boards are not tested to BS5268 Pt 2, and are not sold as Structural

FSC Hardwood Faced Plywood

Description	Your Price	Per
Hardwood Faced Plywood Exterior FSC Mix 70% 2440 X 1220 X 4mm CE4 Conforms to EN13986 2004	11.95	ea
Hardwood Faced Plywood Exterior FSC Mix 70% 2440 X 1220 X 5.5/6.0mm CE4 Conforms to EN13986 2004	14.95	ea
Hardwood Faced Plywood Exterior FSC Mix 70% 2440 X 1220 X 9mm CE4 Conforms to EN13986 2004	21.95	ea
Hardwood Faced Plywood Exterior FSC Mix 70% 2440 X 1220 X 12mm CE4 Conforms to EN13986 2004. This Panel is NOT sold as Structural.	26.95	ea
Hardwood Faced Plywood Exterior FSC Mix 70% 2440 X 1220 X 18mm CE4 Conforms to EN13986 2004. This Panel is NOT sold as Structural.	38.95	ea
Hardwood Faced Plywood Exterior FSC Mix 70% 2440 X 1220 X 25mm CE4 Conforms to EN13986 2004. This Panel is NOT sold as Structural.	54.95	ea

Softwood Pine Plywood, Exterior Glued, 'Solid 1 Side'

Description	Your Price	Per
Softwood Pine Plywood Exterior 2440 X 1220 X 9mm Conforms to CE4 EN13986 2004. This Panel is NOT sold as Structural	13.43	ea
Softwood Pine Plywood Exterior 2440 X 1220 X 12mm Conforms to CE4 EN13986 2004. This Panel is NOT sold as Structural.	14.99	ea
Softwood Pine Plywood Exterior 2440 X 1220 X 18mm Conforms to CE4 to EN13986 2004. This Panel is NOT sold as Structural.	18.99	ea
Softwood Plywood Exterior 2440 X 1220 X 18mm, FSC Mix 70%, Structural, EN13986 CE2+/S	16.99	ea

The 9mm & 12mm boards are not tested to BS5268 Pt2 and are not sold as structural

Spruce Plywood, Exterior Glued, Structural to BS5268 Pt2

Description	Your Price	Per
Spruce Plywood, 2440 X 1220 X 12MM, 70% PEFC Certified, Structural, Conforms to BS5268 part 2.	19.88	ea
Spruce Plywood, 2440 X 1220 X 18MM, 70% PEFC Certified, Structural, Conforms to BS5268 part 2.	30.09	ea
Spruce Plywood, 2440 X 1220 X 24MM, 70% PEFC Certified, Structural, Conforms to BS5268 part 2.	42.95	ea
TG4 Spruce Plywood, 2400 X 600 X 18MM, 70% PEFC Certified, Structural, Conforms to BS5268 part 2.	21.45	ea
TG4 Spruce Plywood, 2400 X 600 X 21MM, 70% PEFC Certified, Structural, Conforms to BS5268 part 2.	15.99	ea

Please note that as Spruce Plywood is in short supply - French Plywood may be offered as an alternative.

French Pine Plywood, Exterior Glued, Structural to BS5268 Pt2

Description	Your Price	Per
French Exterior Pine Plywood, 2440 X 1220 X 9MM, 100% PEFC Certified, Structural, Conforms to EN 636-3S, CE S 2+ EN13986, E1	14.38	ea
French Exterior Pine Plywood, 2440 X 1220 X 12MM, 100% PEFC Certified, Structural, Conforms to EN 636-3S, CE S 2+ EN13986, E1	16.99	ea
French Exterior Pine Plywood, 2440 X 1220 X 18MM, 100% PEFC Certified, Structural, Conforms to EN 636-3S, CE S 2+ EN13986, E1	22.99	ea
French Exterior Pine Plywood, 2440 X 1220 X 24MM, 100% PEFC Certified, Structural, Conforms to EN 636-3S, CE S 2+ EN13986, E1	33.99	ea
TG4 French Exterior Pine Plywood, 2400 X 600 X 18MM, 100% PEFC Certified, Structural, Conforms to EN 636-3S, CE S 2+ EN13986, E1	13.99	ea
TG4 French Exterior Pine Plywood, 2400 X 600 X 21MM, 100% PEFC Certified, Structural, Conforms to EN 636-3S, CE S 2+ EN13986, E1	15.99	ea

WBP Plywood - What Does It Mean?

WBP is an old term (it stands for 'Weather & Boil Proof') - it is no longer an approved description. It has been superceded by the term 'Exterior Glued'.

All of Brewer's Plywoods are 'Exterior Glued' which means they have been boil tested and checked to ensure that they are suitable for exterior use.

No Plywoods are Water Proof!! They must all be protected from rain/snow/moisture, by some coating or covering, even temporarily.

Sometimes customers advise that plywood has delaminated. Usually, this is the face veneer starting to come away from the sheet, because it has been left exposed; water has soaked into the veneer, causing it to expand and break away.

Brewer's cannot accept any claims in these situations.

OSB (Orientated Strand Board)

Description	Your Price	Per
Orientated Strand Board (OSB) Type 2 FSC Mix 70% 2440 X 1220 X 8	10.99	ea
Orientated Strand Board (OSB) Type 2 FSC Mix 70% 2440 X 1220 X 11	11.99	ea
Orientated Strand Board (OSB) Type 3 Conditioned BBA Certified FSC Mix 70% 2440 X 1220 X 18	16.99	ea

* 8mm & 11mm are not structural materials

* OSB 3 18mm is structural under agreement certification

'Structural' Sheet Materials - What does it all mean? What should I do?

Where sheet materials are fixed to floors, walls, roofs and any other structural applications, a panel that has been structurally tested must be used. Brewer's cannot be held responsible in these situations.

Using Non-Structural boards for these applications is almost certain to be in breach of the relevant building regulations, and could result in materials having to be replaced.

There are a variety of methods to achieve a Structural Rating:

* BS5268 Pt2 - Probably the strictest test.

* CE2+'S' - This is the EU method of verification.

* Agreement Certification - Sometimes used on new materials.

* Please note: CE2+ without the 'S' means nothing!!

Please discuss your requirements with our sales teams to make sure that you get the right product for the job!

MDF Standard Grade

Description	Your Price	Per
Medium Density Fibreboard (MDF) Standard Grade FSC Mix 70% 2440 X 1220 X 6MM	7.29	ea
Medium Density Fibreboard (MDF) Standard Grade FSC Mix 70% 2440 X 1220 X 9MM	9.99	ea
Medium Density Fibreboard (MDF) Standard Grade FSC Mix 70% 2440 X 1220 X 12MM	10.39	ea
Medium Density Fibreboard (MDF) Standard Grade FSC Mix 70% 2440 X 1220 X 15MM	11.49	ea
Medium Density Fibreboard (MDF) Standard Grade FSC Mix 70% 2440 X 1220 X 18MM	12.99	ea
Medium Density Fibreboard (MDF) Standard Grade FSC Mix 70% 2440 X 1220 X 25MM	18.29	ea

*** These boards are not tested to BS5268**

MDF Moisture Resistant V313 (NOT EXTERIOR)

Description	Your Price	Per
Medium Density Fibreboard (MDF) V313/MR FSC Mix 70% 2440 X 1220 X 6MM	8.19	ea
Medium Density Fibreboard (MDF) V313/MR FSC Mix 70% 2440 X 1220 X 9MM	10.79	ea
Medium Density Fibreboard (MDF) V313/MR FSC Mix 70% 2440 X 1220 X 12MM	12.99	ea
Medium Density Fibreboard (MDF) V313/MR FSC Mix 70% 2440 X 1220 X 18MM	16.99	ea
Medium Density Fibreboard (MDF) V313/MR FSC Mix 70% 2440 X 1220 X 25MM	23.29	ea

*** These Boards are not tested to BS5268**

T&G Flooring Grade Chipboard, P5 (Moisture Resistant) to BS5268, Structural

Description	Your Price	Per
Flooring Grade Chipboard TG4 P5 MR FSC Mix 70% 2400 X 600 X 18	6.59	ea
Flooring Grade Chipboard TG4 P5 MR FSC Mix 70% 2400 X 600 X 22	8.69	ea
Flooring Grade Chipboard (Peelclean) TG4 P5 FSC Mix 70% 2400 X 600 X 18	8.59	ea
Flooring Grade Chipboard (Peelclean) TG4 P5 FSC Mix 70% 2400 x 600 x 22	10.74	ea

15mm Melamine Faced Chipboard

Description	Your Price	Per
Melamine Faced Chipboard (MFC) 2440 X 1220 X 15	23.58	ea
Melamine Faced Chipboard (MFC) 2440 X 152	3.11	ea
Melamine Faced Chipboard (MFC) 2440 x 228	4.40	ea
Melamine Faced Chipboard (MFC) 2440 X 305	5.90	ea
Melamine Faced Chipboard (MFC) 2440 X 381	8.05	ea
Melamine Faced Chipboard (MFC) 2440 X 457	9.34	ea
Melamine Faced Chipboard (MFC) 2440 X 533	10.52	ea
Melamine Faced Chipboard (MFC) 2440 X 610	10.74	ea
MFC White Edging Strip 50m Roll	9.85	ea

(Available at Enfield & Lewisham)

12mm Insulation Board

Description	Your Price	Per
Insulation Board 2440 X 1220 X 12	11.81	ea

Sundela 'K'

Description	Your Price	Per
2440 X 1220 X 9mm Sundela K. Board	46.21	ea
2440 X 1220 X 12mm Sundela K. Board	50.20	ea

(Available at Enfield & Lewisham)

We also offer a huge range of specialist boards for a large variety of applications.

*** Veneered Boards - Plywood, Chipboard, MDF Substrates**

*** Various Species - Oak, Ash, Beech, Cherry, Walnut, and many more....**

*** Large Sheet Sizes - 3050 x 1525, 3600 x 1220 and many others available to order.**

*** Flame Retardant - MDF, Plywood & Chipboard.**

Please contact our sales department for further information on these or any other specialist products.

T Brewer & Co Ltd - Raphael Contracting Ltd (23.01.2012)

Standard Grade Hardboard

Description	Your Price	Per
Finnish Standard Grade Hardboard, 70% PEFC Certified, 1220 X 2440 X 3.2MM	5.15	ea
Finnish Standard Grade Hardboard, 70% PEFC Certified, 610 X 1220 X 3.2MM	1.73	ea

Siltech - Non-Combustible Flexible Calcium Silicate Building Board. Compliant to BS476 Part 4

(Masterboard Alternative)

Description	Your Price	Per
Non - Combustible Building Board (Masterboard/Siltech or equivalent) 2440 X 1220 X 6MM	50.87	ea
Non - Combustible Building Board (Masterboard/Siltech or equivalent) 2440 X 1220 X 12MM	141.74	ea

* All fire ratings must be approved by relevant authority

Wedi Tile Backer Board & Fixings

Description	Your Price	Per
Wedi Tilebacker Board BA6 1250 X 600 X 6MM	13.41	ea
Wedi Tilebacker Board BA10 2500 X 600 X 10MM	29.20	ea
Wedi Tilebacker Board BA12.5 (625) 2500 X 625 X 12.5MM	31.06	ea
Wedi Tilebacker Board BA20 2500 X 600 X 20MM	30.96	ea
Wedi Tilebacker Board BA40 2500 X 600 X 40MM	40.68	ea
Wedi PW60 Metal Washers (100)	13.48	ea
Wedi PD80 Plastic Dowels 80mm (100 per box)	32.66	ea
Wedi WT50 Waterproof Joint Sealing Tape 50 Mtr Roll	144.82	ea
Wedi WT10 Waterproof Joint Sealing Tape 10mtr Roll	35.25	ea
Wedi Adhesive & Sealant - 610	11.36	ea
Wedi TT25 S Self Adhesive Joint Reinforcement Tape (25mx125mm)	12.57	ea

Quinn Therm - Foil Faced Insulation / Thermal Board (Rigid PIR)

Description	Your Price	Per
2400x1200x25mm Quinnterm	10.99	ea
2400x1200x50mm Quinnterm	16.49	ea
2400x1200x70mm Quinnterm	22.99	ea
2400x1200x90mm Quinnterm	28.99	ea
2400x1200x100mm Quinnterm	32.99	ea

Ideal for Pitched Roofs, Floors & Walls - BBA & IAB Accredited.

Conforms to IS EN ISO 9001:2000.

Quinn Therm is light, robust and easy to handle; it may be worked using a saw or sharp knife. It matches other brands (Celotex/Kingspan)

Please contact our sales office for pricing on large enquiries!

Monarfloor Acoustic Systems

Sound Reduction Solutions

Description	Your Price	Per
Monarfloor Deck 9 - 600mm x 1200mm x 17mm	15.96	ea
Monarfloor Deck 18 - 600mm x 2400mm x 26mm	24.13	ea
Monarfloor Trideck - 600mm x 2400mm x 35mm	43.52	ea
Monarfloor Tranquility Underscreed - 20x1.5m	169.47	ea
Monarfloor Angle Flanking Band - 30x25x6mm (per 2m length)	2.21	ea

All in stock at Clapham branch ready for immediate delivery.

Discount available for quantity.

Fibreglass Insulations - Rolls

Description	Your Price	Per
Fibreglass Ins 100mm 11.0M2 Multi Pack	24.18	ea
Fibreglass Ins 150mm 6.99M2 Multi Pack	24.18	ea

Plasterboard Products

Description	Your Price	Per
Plasterboard Vapourshield (Foil Backed) Square Edge 2400 X 1200 X 12.5MM	8.05	ea
Plasterboard Fireshield Square Edge 2400 X 1200 X 12.5MM	6.44	ea
Plasterboard Moistureshield Tapered Edge 2400 X 1200 X 12.5MM	8.55	ea
Plasterboard Soundshield Tapered Edge 2400 X 1200 X 12.5mm	7.94	ea
Plasterboard Plank 2400 X 600 X 19MM	5.90	ea
Plasterboard Square Edged 2400 X 1200 X 9.5MM	5.36	ea
Plasterboard Square Edged 2400 X 1200 X 12.5MM	4.99	ea
Plasterboard Square Edged 1800 X 900 X 9.5MM	3.75	ea
Plasterboard Square Edged 1800 X 900 X 12.5MM	3.75	ea
Plasterboard Tapered Edge 2400 X 1200 X 9.5MM	5.36	ea
Plasterboard Tapered Edge 2400 X 1200 X 12.5mm	4.99	ea

Keylite Windows

T. Brewer are stockists of Keylite Roof Windows.

In Keylite's own word 'Same Quality - Better Price'

In T. Brewer's words 'Better Quality - Better Price'

Keylite Windows are BBA Approved. Please ask for a Keylite Product Brochure

Stock held at Enfield Branch.

Internal & External Doors

Internal 'Ply' Type Doors, Paint Grade, Lipped 2 Edges (L2E)

Description	Your Price	Per
JC26F1X 6'6" X 2'6" (1981x762mm) External Flush Door	56.39	ea
JC29F1X 6'6" X 2'9" (1981x838mm) External Flush Door	56.39	ea
JC20IPLF 6'6" X 2'0" X 1 3/4" (1981x610x44mm) Plywood Faced Internal FD30 Fire Door	28.97	ea
JC23IPLF 6'6" X 2'3" X 1 3/4" (1981x686x44mm) Plywood Faced Internal FD30 Fire Door	28.97	ea
JC26IPLF 6'6" X 2'6" X 1 3/4" (1981x762x44mm) Plywood Faced Internal FD30 Fire Door	22.99	ea
JC28IPLF 6'8" X 2'8" X 1 3/4" (2032x813x44mm) Plywood Faced Internal FD30 Fire Door	28.97	ea
JC29IPLF 6'6" X 2'9" X 1 3/4" (1981x838x44mm) Plywood Faced Internal FD30 Fire Door	28.97	ea
JC20IPL3 6'6" X 2'0" (1981x610x35mm) Paint Grade Plywood Door, Lipped Two Edges	21.49	ea
JC23IPL3 6'6" X 2'3" (1981x686x35mm) Paint Grade Plywood Door, Lipped Two Edges	21.49	ea
JC26IPL3 6'6" X 2'6" (1981x762x35mm) Paint Grade Plywood Door, Lipped Two Edges	18.49	ea
JC28IPL3 6'8" X 2'8" (2032x813x35mm) Paint Grade Plywood Door, Lipped Two Edges	21.39	ea
JC29IPL3 6'6" X 2'9" (1981x838x35mm) Paint Grade Plywood Door, Lipped Two Edges	19.34	ea

External, Paint Grade, Door Blank, Unlipped, FD30*

Description	Your Price	Per
Door Blank 1981 X 762 X 45 FD30 (6'6" X 2'6") (In Accordance with Manufacturers Recommendations)	78.18	ea
Door Blank 2058 X 838 X 45 FD30 (6'9" X 2'9") (In Accordance with Manufacturers Recommendations)	79.92	ea
Door Blank 2135 X 915 X 45 FD30 (7' X 3' X 1 3/4") (In Accordance with Manufacturers Recommendations)	64.99	ea
Door Blank 2440 X 1220 X 45 FD30 (8' X 4') (In Accordance with Manufacturers Recommendations)	133.65	ea
Door Blank 2135 X 915 X 54 FD60 (7' X 3' X 2 1/8") (In Accordance with Manufacturers Recommendations)	120.27	ea

*** FD30/60 only when used in conjunction with other rated components to an approved specification.**

We hope you find our prices to be competitive - when you add in our 'Premier' guaranteed next working day delivery, crane offload higher grades/quality, we know it's the case! Remember: If you have a large enquiry, we will always price it separately!