

All levels are in metres above Ordnance Datum.

All dimensions should be checked on site. Do not scale from this drawing. Stanton Williams to be advised of any variation between the drawings and site conditions.

To be read in conjunction with: architectural drawings and specification, structural and services engineers information, and fire / acoustic / security strategies.

Safety, health and environmental information

Please refer to pre-construction information and risk register. The notes below refer specifically to the information shown on this drawing.

Notes

Survey Note

1. This drawing has been prepared using recent survey information where access has been possible. Large areas of the Poultry Market remain tenanted and it has therefore not been possible to provide survey information for these areas. Some assumed information has been drawn from earlier survey and historic drawings but this remains unconfirmed. Where possible, drawn information is based on 3D survey information provided by Pownman Craven in May 2018. The model was delivered in 3 volumes (01-03). Model revisions P01 in use for all volumes: 34625-005-PCL (VOLUME); 22-M3-G-0001-RM-S1-P01

2. The survey models provided by Pownman Craven are in Revit version 2017. These have subsequently been upgraded to Revit 2023 by the Design Team for use in producing 2D drawings. Due to the upgrade process, the Design Team accept no responsibility for the accuracy / validation of the digital data supplied.

Key

- Assumed Existing Level
- Proposed Level
- Assumed Existing Dimension
- Proposed Dimension
- Critical Dimension
- Futureproofed partition
- Slab Edge

Doors & Screens

To be read in conjunction with: Fire strategy - 0021 series, Acoustic strategy - 0022 series, Security strategy - 0023 series, Layout plans - 0040 series, Internal walls - 22 series

- Where setting out from existing elements, contractor to survey prior to fabrication
- Contractor to ensure that all performance requirements are met
- Ironmongery to be compatible with MEP and Security consultant information.

Visualisations

Visualisations provided for information only to convey design intent. The drawings and/or specifications take precedence over the visualisations in the event of any variation between the two

Notes

Due to the pandemic it hasn't been possible to collect and review samples on site as usual practice would allow. As a result all material samples and system profiles are subject to further review on site as required.

C01	05/04/2024	PM - Construction Issue - TP7840 - Metalwork - EWN569
T02	08/03/2024	EWN - 567 - Update to roller shutters and sliding doors to Temporary Gallery
T01	09/03/2020	MW4.2 Issued for Tender
P01	16/12/2020	Issued for MoL Review
Revision	Date	Description

Location

Stanton Williams
36 Graham Street
London N1 6GJ
Phone +44 (0)20 7880 0400
Email: 2125@stantonwilliams.com
www.stantonwilliams.com

Asif Khan Ltd.
24 28 Pitchers Road
London E2 9AP
Phone +44(0)20 7729 3773
Email: 2108@asif-khan.com
www.asif-khan.com

Julian Harrap Architects LLP
99 Kingsland Road
London E2 8AG
Phone +44(0)20 7729 5111
Email: admin@julianharraparchitects.co.uk
www.julianharraparchitects.co.uk

Project
Museum of London


Drawing Title
PM - Internal Shutters - Sheet 03

Drawn	Checked	Approved	Status
SE	MT	AF	Stage 5

Date	Scale @ A1	Project No.	Revision
27/11/20	As indicated	2125	C01

Drawing No. 32642

Project	Originator	Volume	Level	Type	Role	Reference	Revision	Suitability
2125	SWA	PM	XX	DR	A	32642	C01	S4



DRS-14

Internal - Gallery sliding door. Plasterboard lining applied to internal side of door.

In plasterboard and blockwork wall

Security Rating : S12 (to be confirmed by ARUP Security)
Acoustic Rating : 45db
Fire Rating : NA



Temporary Gallery Sliding Door - Closed Position.



Temporary Gallery Sliding Door - Open Position.