FPS-100

145mm GypWall Staggered w/ Moisture Resistant Lining

Required Performance	Partition System
Fire Rating (minutes) 0 | 30 | 60 | 75 | 90 | **120**	*System Ref and specific products mentioned in drawings for information only, in all cases most recent Specification superseeds all drawn information.*
Acoustic Rating (dB) 0 | 40 | 45 | **50** | 56 | 62 | 67	Product Ref: GypWall™ STAGGERED
Height (mm) 2700 MIN | 3800 MAX	

*For locations of **fire ratings walls**, Refer to fire consultant report & (68) series*
*For locations of **acoustic ratings to walls**, Refer to acoustic consultant report*
*For **heights of walls**, Refer to internal elevations.*



HOTEL **OFFICE W/C**



FPS-101

414mm BG Gyp Quiet w/ Moisture Resistant Lining

Required Performance	Partition System
Fire Rating (minutes) 0 | 30 | 60 | 75 | 90 | **120**	*System Ref and specific products mentioned in drawings for information only, in all cases most recent Specification superseeds all drawn information.*
Acoustic Rating (dB) 0 | 40 | 45 | **50** | 56 | 62 | 67	Product Ref: BG GypWall QUIET
Height (mm) 2700 MIN | 3800 MAX	

*For locations of **fire ratings walls**, Refer to fire consultant report & (68) series*
*For locations of **acoustic ratings to walls**, Refer to acoustic consultant report*
*For **heights of walls**, Refer to internal elevations.*



OFFICE W/C **OFFICE W/C**



FPS-102

127mm GypWall Robust

Required Performance	Partition System
Fire Rating (minutes) 0 | 30 | 60 | 75 | 90 | **120**	*System Ref and specific products mentioned in drawings for information only, in all cases most recent Specification superseeds all drawn information.*
Acoustic Rating (dB) **0** | 40 | 45 | 50 | 56 | 62 | 67	Product Ref: GypWall ROBUST - Q606A062
Height (mm) 3400 MIN | 4600 MAX	

*For locations of **fire ratings walls**, Refer to fire consultant report & (68) series*
*For locations of **acoustic ratings to walls**, Refer to acoustic consultant report*
*For **heights of walls**, Refer to internal elevations.*





FPS-103

162mm GypWall Quiet SF

Required Performance	Partition System
Fire Rating (minutes) 0 | 30 | 60 | 75 | **90** | 120	*System Ref and specific products mentioned in drawings for information only, in all cases most recent Specification superseeds all drawn information.*
Acoustic Rating (dB) 0 | 40 | 45 | 50 | 56 | 62 | **67**	Product Ref: GypWall QUIET SF - A316013 (EN)
Height (mm) 3500 MIN | 4700 MAX	

*For locations of **fire ratings walls**, Refer to fire consultant report & (68) series*
*For locations of **acoustic ratings to walls**, Refer to acoustic consultant report*
*For **heights of walls**, Refer to internal elevations.*



HOTEL **RETAIL**



FPS-104

200mm GypWall Quiet

Required Performance	Partition System
Fire Rating (minutes) 0 | 30 | 60 | 75 | 90 | **120**	*System Ref and specific products mentioned in drawings for information only, in all cases most recent Specification superseeds all drawn information.*
Acoustic Rating (dB) 0 | 40 | 45 | 50 | 56 | **62** | 67	Product Ref: GypWall QUIET L216008 (EN)
Height (mm) 3500 MIN | 4900 MAX	

*For locations of **fire ratings walls**, Refer to fire consultant report & (68) series*
*For locations of **acoustic ratings to walls**, Refer to acoustic consultant report*
*For **heights of walls**, Refer to internal elevations.*



HOTEL **OFFICE**



KEY

REV	DATE	DESCRIPTION
T01	09/03/20	STAGE 4 ISSUE
T02	09/04/20	STAGE 4 ISSUE

CONSULTANTS	
CLIENT:	CROSSTREE REAL ESTATE PARTNERS LLP
STRUCTURAL ENGINEER:	HEYNE TILLETT STEEL
MECHANICAL ENGINEER:	HURLEY PALMER FLATT
PROJECT MANAGER:	JACKSON COLES
COST CONSULTANT:	CORE FIVE LLP
HOTEL ARCHITECT:	DEXTER MOREN ASSOCIATES
SUSTAINABILITY CONSULTANT:	EIGHT ASSOCIATES
PLANNING CONSULTANT:	DP9
PROJECT MANAGER:	JACKSON COLES
ACOUSTIC CONSULTANT:	HANN TUCKER

NOTE

When this drawing is issued in uncontrolled CAD format it will be accompanied by a PDF version and is issued to enable the recipient to prepare their own documents / models / drawings for which they are solely responsible.
The recipient should report all drawing errors, omissions and discrepancies to the architect. All dimensions should be checked on site by the contractor and such dimensions shall be the contractor's responsibility.

Allford Hall Monaghan Morris Limited accepts no responsibility or liability for:-
- any use of this drawing by parties other than the party for whom it was prepared or for purposes other than those for which it was prepared
- any alterations or additions to or discrepancies arising out of changes to the background information on which the drawings are based that was current at the time of issue, and which occur to that information after it has been issued by AHMM
- any loss or degradation of the information held in this drawing resulting from the translation from the original file format to any other file format or from the recipients reading of it in any other programme or any version of the programme other than that which was used to prepare it
- the accuracy of survey information provided by others or for any costs, claims, proceedings and expenses arising out of reliance on such information
- any scaling from this drawing other than by the local planning authority solely for the purposes of the planning application to which it relates



ALLFORD HALL MONAGHAN MORRIS
ARCHITECTS Ltd
MORELANDS, 5-23 OLD STREET LONDON EC1V 9HL
TEL 020 7251 5261 FAX 020 7251 5123 WEB WWW.AHMM.CO.UK

job title
BERKELEY STREET

drawing title / location
INTERNAL WALLS - FIXED PARTITION SYSTEMS (SHEET 01 of 03)

drawn by	checked	scale	status
OU	PK	1 : 5@A1	TENDER

project	zone	source	classification	drawing no.	revision
16014		A	(22)_200		T02

© Allford Hall Monaghan Morris Limited