

1076_sD-100 - DOOR SCHEDULE																	BuckleyGrayYeoman						
Job Name					72 Broadwick Street					Job No.		1076											
Date		Revision	Reason for Issue		Notes																		
12/11/2018		P1	Stage 3 Issue		Refer to NBS L20 and P21 and BGY Series sD drawings and BGY - T-sheet Revisions since last issue indicated in bold red text * Clear opening as measured in accordance with approved document B2, diagram C2																		
24/05/2019		P2	Preliminary Issue																				
20/06/2019		T1	Stage 2 tender																				
05/07/2019		T2	Stage 2 tender addendum																				
29/07/2019		T3	Updated to some leaf finishes and structural openings																				
06/08/2019		T4	Updates to some structural openings																				
19/09/2019		T5	General updates																				
16/12/2019		C1	Issued for Construction																				
24/01/2020		C2	Door 01-29 added																				
08/06/2020		C3	Doors 00-25 & 03-70 & 4th floor updated, ground floor doors added																				
TAKE DIMENSIONS ON SITE TO CONFIRM ALL EXISTING OPENING SIZES																							
DOOR FLOOR	DOOR NUMBER	DOOR TYPE	LOCATION	STRUCTURAL OPENING W x H (mm)	MIN. CLEAR OPENING (required to one door)*	VISION PANEL	DOUBLE (D) OR SINGLE (S)	LEAF FINISH	KICKPLATE	FRAME FINISH	PARTITION DEPTH (mm Inc. finishes but not joinery overcladding)	ACCOUSTIC RATING (min sound reduction index dB R)	FIRE RATING	DOOR CLOSER	MANUAL LOCKING	ACCESS CONTROL	SECURITY	Signage	Ironmongery finish	OTHER REQUIREMENTS	IRONMONGERY SET		

00	01	Existing		External	existing 1500 x 2122		N	D						Existing	N/A							
00	04	Existing		External	Existing									FD60S	N/A							
00	05	Existing		External	Existing									FD60S	N/A							
00	07	Existing		External	Existing			S														
00	08	DRS	R08	Riser	1610 x 2470 (30mm from FFL)	N/A	N	D	Plasterboard	None	Concealed metal	119mm	N/A	FD60	N/A	Eurocylinder	None		Fire door keep locked' lollipop to leading edge	Powder Coated to Match Reception Plasterwork		
00	09	DRS	C11	Office Reception	1010 x 2500	850	N	S	Primed mdf recpetion side, painted timber stair side	None	Painted timber	Existing + lining	N/A	FD60S	Surface mounted Stair side	Eurocylinder	Maglock with card Reader both sides		Fire door keep shut' lollipop to leading edge	Powder Coated to Match Reception Plasterwork		
00	10	DRS	E06	Service Yard	1010x2100	850	Y	S	Metal wrapped timber	None	Metal wrapped timber PPC Finish	N/A	N/A	FD30S	Surface mounted	Eurocylinder, push to exit internally. UKPN Override key	Maglock with card Reader		Fire door keep shut' lollipop to leading edge	Satin Stainless Steel		
00	13	Existing		Retail																		
00	14	Existing		Retail																		
00	15	DRS	C07	Corridor	910 x 2100	825	N	S	Painted timber	Yes	Painted timber	N/A	N/A	FD30S	Surface mounted	Eurocylinder Thumb turn restaurant side	None		Fire door keep shut' lollipop to leading edge	Satin Stainless Steel		
00	16	DRS	C08	Corridor	OMITTED	N/A	N	D	Painted timber	Yes	Painted timber	N/A	N/A	N/A	None	Eurocylinder	None		Fire door keep locked' lollipop to leading edge	Satin Stainless Steel		
00	17	DRS	E07	Corridor	1340 x 2361 - height to brick dim	1250 to both doors	N	D	Metal wrapped timber Checkerplate WF-07	None	Metal wrapped timber PPC Finish	N/A	N/A	FD60S	Surface mounted	Digilock Push to exit overide	None		Fire door keep shut lollipop to leading edge	Satin Stainless Steel		
00	18	DRS	E07	Refuse	2240 x 2251 - height to brick dim	N/A	N	D	Metal wrapped timber w/ Checkerplate WF-07	None	Metal wrapped timber PPC Finish	N/A	N/A	FD30S	None	Digilock	None		Fire door keep locked' to service yard side. 'Caution: be aware of moving veichles when exiting' to store side	Satin Stainless Steel		
00	19	DRS	E07	Refuse	2240 x 2101 - height to brick dim	N/A	N	D	Metal wrapped timber w/ Checkerplate WF-07	None	Metal wrapped timber PPC Finish	N/A	N/A	FD30S	None	Digilock	None		Fire door keep locked' to service yard side. 'Caution: be aware of moving veichles when exiting' to store side	Satin Stainless Steel		
00	20	DRS	E07	Electric Room	1375 x 2204 EXISTING SITE DIM	N/A	N	D	Metal wrapped timber w/ Checkerplate WF-07	None	Metal wrapped timber PPC Finish	Existing	N/A	FD60S	None	Digilock	None		Fire door keep locked' to service yard side. 'Caution: be aware of moving veichles when exiting' to store side	Satin Stainless Steel	Fire rated grille, as per specification	
00	22	DRS	E07	Refuse	1340 x 1940 - site dim to soffit	N/A	N	D	Metal wrapped timber w/ Checkerplate WF-07	None	Metal wrapped timber PPC Finish	EXISTING	N/A	FD30S	None	Digilock	None		Fire door keep locked' to service yard side. 'Caution: be aware of moving veichles when exiting' to store side	Satin Stainless Steel		
00	23	DRS	E07	Refuse	2240 x 1940 - site dim to soffit	N/A	N	D	Metal wrapped timber w/ Checkerplate WF-07	None	Metal wrapped timber PPC Finish	EXISTING	N/A	FD30S	None	Digilock	None		Fire door keep locked' to service yard side. 'Caution: be aware of moving veichles when exiting' to store side	Satin Stainless Steel		
00	24	DRS	E07	Bulky Waste	2240 x 2335, to brick dim	N/A	N	D	Metal wrapped timber w/ Checkerplate WF-07	None	Metal wrapped timber PPC Finish	N/A	N/A	FD30S	None	Digilock	None		Fire door keep locked' to service yard side. 'Caution: be aware of moving veichles when exiting' to store side	Satin Stainless Steel	Fire rated grille, as per specification	
00	25	DRS	E07	Core 3	1904 x 2335 to site dim	N/A	N	D	Metal wrapped timber	None	Metal wrapped timber PPC Finish	N/A	N/A	FD60S	Concealed	Eurocylinder	None		Fire door keep shut lollipop to leading edge	Flat Matte Black		
00	26	DRS	UKPN1	Core 3	1250 x 2100	850	N	S	PPC Steel	None	PPC Steel	N/A	N/A	FD60S	Push side	Eurocylinder, key with UKPN	None	See specification	Fire door keep locked' to leading edge	Flat Matte Black	See specification	
00	29	DRS	L01	Core 1		900						N/A		FD60								
00	30	DRS	L01	Core 1		900						N/A		FD60								
00	31	DRS	L01	Core 1		900						N/A		FD60								
00	32	DRS	L01	Core 01		900						N/A		FD60								
00	36	DRS	R08	Riser	1540 x 2470 (30mm from FFL)	N/A	N	D	Plasterboard	None	Concealed metal	119mm	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge	Powder Coated to Match Reception Plasterwork		
00	38	DRS	R02	Core 1	450 x 650	to fit cabinet	N	S	Plasterboard	None	Concealed metal	N/A	N/A	FD60S	None	Fire person's key	None		Dry riser'			
00	39	DRS	L01	Core 3		900						N/A		FD60								
00	40	DRS	UKPN1	Core 3	1250 x 2100	1050	N	S	PPC Steel	None	PPC Steel	N/A	N/A	FD60S	Surface mounted		None		Fire door keep locked' to leading edge	Satin Stainless Steel		
00	41	DRS	R02	Core 1	500 x 1400	420	Y	S	Plasterboard	None	Concealed metal	N/A	N/A	None	None	Fire persons key	None		None	Powder Coated RAL to match polished plaster		
00	42	DRS	C07	Retail Unit 6	1010 x 2100	850	N	S	Painted timber	Yes	Painted tmber	Existing	N/a	FD60S	Surface mounted	Eurocylinder with thumb turn restaurnt side. Plus deadlock	None		Fire door keep shut' lollipop to leading edge	Satin Stainless Steel		

1076_SD-100 - DOOR SCHEDULE																						
Job Name		72 Broadwick Street					Job No.		1076													
Date		Revision		Reason for Issue		Notes																
12/11/2018		P1		Stage 3 Issue		Refer to NBS L20 and P21 and BGY Series sD drawings and BGY - T-sheet Revisions since last issue indicated in bold red text * Clear opening as measured in accordance with approved document B2, diagram C2																
24/05/2019		P2		Preliminary Issue																		
20/06/2019		T1		Stage 2 tender																		
05/07/2019		T2		Stage 2 tender addendum																		
29/07/2019		T3		Updated to some leaf finishes and structural openings																		
06/08/2019		T4		Updates to some structural openings																		
19/09/2019		T5		General updates																		
16/12/2019		C1		Issued for Construction																		
24/01/2020		C2		Door 01-29 added																		
08/06/2020		C3		Doors 00-25 & 03-70 & 4th floor updated, ground floor doors added																		
TAKE DIMENSIONS ON SITE TO CONFIRM ALL EXISTING OPENING SIZES						MIN. CLEAR OPENING (required to one door)*	VISION PANEL	DOUBLE (D) OR SINGLE (S)			FRAME FINISH	PARTITION DEPTH (mm Inc. finishes but not joinery overcladding)	ACCOUSTIC RATING (min sound reduction index dB R)	FIRE RATING	DOOR CLOSER	MANUAL LOCKING	ACCESS CONTROL	SECURITY	Signage	Ironmongery finish	OTHER REQUIREMENTS	IRONMONGERY SET
DOOR FLOOR	DOOR NUMBER	DOOR TYPE		LOCATION	STRUCTURAL OPENING W x H (mm)																	
00	43	DRS	E06	Service Yard	1010x2100	850	N	S	Metal wrapped timber	None	Metal wrapped timber PPC Finish	N/A	N/A	FD60S	Surface mounted	Eurocylinder with thumb turn restaurnt side. Plus deadlock	None		Fire door keep shut' lollipop to leading edge	Satin Stainless Steel		
00	44	DRS	E06	Service Yard	1350x2100	1200	N	D	Metal wrapped timber	None	Metal wrapped timber PPC Finish	N/A	N/A	FD60S	Surface mounted	Digilock	None		Fire door keep locked	Satin Stainless Steel		
00	45	DRS	TBC	Residential Entrance	In abeyance following resi. entrance redesign																	
00	46	DRS	TBC	Residential Entrance	In abeyance following resi. entrance redesign																	
01	1	DRS	R07	Core 3	550 x 2000 (100mm from FFL)	N/A	N	S	Plasterboard	None	Concealed metal	EXSITING	N/A	FD60S	None	Eurocylinder	None		Fire door keep locked' to leading edge	Powder Coated traffic white		
01	2	DRS	E06	Core 3	1010 x 2100	850	N	S	Metal wrapped timber PPC Finish	None	Metal wrapped timber	N/A	N/A	FD60S	Surface mounted	Digilock	None		Fire door keep shut lollipop' to leading edge	Flat Matte Black		
01	5	DRS	C07	Core 1	1250 x 2100	1050	Y	S	Painted Timber	Yes	Painted timber	102mm	N/A	FD60S	Surface mounted	Panic sash lock .	Door contacts linked to BMS alarm		Fire door keep shut lollipop to leading edge	Satin Stainless Steel		
01	6	DRS	C07	Core 1	1010 x 2100	850	N	S	Painted timber	Yes	Painted timber	102mm	N/A	N/A	Surface mounted Internally	Bathlock	None		Accessible WC	Satin Stainless Steel		
01	7	DRS	C07	Core 1	1010 x 2100	850	N	S	Painted timber	Yes	Painted timber	102mm	N/A	N/A	Surface mounted Internally	Eurocylinder	None		Fire door keep shut' lollipop to leading edge	Satin Stainless Steel		
01	9	DRS	L01	Core 1		900						N/A		FD60								
01	10	DRS	L01	Core 1		900						N/A		FD60								
01	11	DRS	R02	Core 1	450 x 650	to fit cabinet	N	S	Plasterboard	None	Concealed metal	N/A	N/A	FD60S	None	Fire person's key	None		Dry riser'			
01	12	DRS	C07	Riser	475 x 2100 (site dim)	N/A	N	S	Painted Timber	None	Painted Timber	119mm	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge	Satin Stainless Steel		
01	13	DRS	C08	Core 1	1940 x 2100	1050 using both doors	Y	D	Painted timber	Yes	Painted timber	102mm	N/A	FD30S	Surface Mounted	Eurocylinder	None		Fire door keep shut lollipop to leading edge	Satin Stainless Steel		
01	14	DRS	C08	Riser	1340 x 2100	N/A	N	D	Painted Timber	None	Painted Timber	119mm	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge	Satin Stainless Steel		
01	16	DRS	E06	Riser	1340 x 950	N/A	N	D	Metal wrapped timber PPC Finish	None	Metal wrapped timber PPC Finish	N/A	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge			
01	18	DRS	C08	Riser	1340 x 2100	N/A	N	D	Painted timber	None	Painted timber	100mm	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge	Satin Stainless Steel		
01	19	DRS	C08	Riser	1340 x 2100	N/A	N	D	Painted timber	None	Painted timber	100mm	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge	Satin Stainless Steel		
01	20	DRS	C07	Core 2	1200 x 2100	1050	Y	S	Painted timber	Yes	Painted timber	100mm	N/A	FD30S	Surface mounted	Panic sash lock .	Door contacts linked to BMS alarm		Fire door keep shut lollipop to leading edge	Satin Stainless Steel		
01	21	DRS	C08	Core 2	1940 x 2100	N/A	N	D	Painted timber	Yes	Painted timber		N/A	FD60S	Surface Mounted	Eurocylinder	None		Fire door keep shut lollipop to leading edge	Satin Stainless Steel		
01	22	DRS	C07	Core 2	1200 x 2100	1050	Y	S	Painted timber	Yes	Painted timber	100mm	N/A	FD30S	Surface mounted	Panic sash lock .	Door contacts linked to BMS alarm		Fire door keep shut lollipop to leading edge	Satin Stainless Steel		
01	23	DRS	C08	Restaurant	1940 x 2100	N/A	N	D	Painted timber	Yes	Painted Timber	100mm	N/A	FD60S	Surface mounted	Eurocylinder	None		Fire door keep shut lollipop to leading edge	Satin Stainless Steel		
01	24	DRS	C07	Core 2	1200 x 2100	1050	Y	S	Painted timber	Yes	Painted timber	100mm	N/A	FD30S	Surface Mounted	Eurocylinder	None		Fire door keep shut lollipop to leading edge	Satin Stainless Steel		
01	25	DRS	C07	Core 2	1200 x 2100	1050	Y	S	Painted timber	Yes	Painted timber	100mm	N/A	FD60S	Surface Mounted	Eurocylinder	None		Fire door keep shut lollipop to leading edge	Satin Stainless Steel		
01	26	DRS	C03	Core 2	1250 x 2100	1050	Y	S	Painted timber	Yes	Pinted timber	100mm	N/A	FD30S	Concealed	Panic sash lock .	Door contacts linked to BMS alarm		Fire door keep shut lollipop to leading edge	Satin Stainless Steel		
01	27	DRS	C03	Core 2	1200 x 2100	1050	Y	S	Painted timber	Yes	Painted timber	100mm	N/A	FD60S	Concealed	Panic sash lock .	Door contacts linked to BMS alarm		Fire door keep shut lollipop to leading edge	Satin Stainless Steel		
01	28	DRS	R07	Core 2	550 x 2000 (100mm from FFL)	N/A	N	S	Plasterboard	None	Concealed metal	100mm	N/A	FD60S	None	Eurocylinder	None		Fire door keep locked' to leading edge			
01	29	DRS	E06	Core 3 Condensor area	1250 x 2100	1050	N	S	Metal wrapped timber PPC Finish	None	Metal wrapped timber PPC Finish	100mm	N/A	N/A	None	Eurocylinder	None		Fire door keep shut lollipop to leading edge	Satin Stainless Steel		
01	30	DRS	E06	Riser	tbc	N/A	N	D	Metal wrapped timber PPC Finish	None	Metal wrapped timber PPC Finish	N/A	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge			

BuckleyGrayYeoman

BuckleyGrayYeoman

1076_SD-100 - DOOR SCHEDULE																									
Job Name		72 Broadwick Street				Job No.		1076														BuckleyGrayYeoman			
Date		Revision		Reason for Issue		Notes																			
12/11/2018		P1		Stage 3 Issue		Refer to NBS L20 and P21 and BGY Series sD drawings and BGY - T-sheet Revisions since last issue indicated in bold red text * Clear opening as measured in accordance with approved document B2, diagram C2																			
24/05/2019		P2		Preliminary Issue																					
20/06/2019		T1		Stage 2 tender																					
05/07/2019		T2		Stage 2 tender addendum																					
29/07/2019		T3		Updated to some leaf finishes and structural openings																					
06/08/2019		T4		Updates to some structural openings																					
19/09/2019		T5		General updates																					
16/12/2019		C1		Issued for Construction																					
24/01/2020		C2		Door 01-29 added																					
08/06/2020		C3		Doors 00-25 & 03-70 & 4th floor updated, ground floor doors added																					
TAKE DIMENSIONS ON SITE TO CONFIRM ALL EXISTING OPENING SIZES						MIN. CLEAR OPENING (required to one door)*	VISION PANEL	DOUBLE (D) OR SINGLE (S)				PARTITION DEPTH (mm Inc. finishes but not joinery overcladding)	ACCOUSTIC RATING (min sound reduction index dB R)												
DOOR FLOOR	DOOR NUMBER	DOOR TYPE		LOCATION	STRUCTURAL OPENING W x H (mm)				LEAF FINISH	KICKPLATE	FRAME FINISH					MANUAL LOCKING	ACCESS CONTROL	SECURITY	Signage	Ironmongery finish	OTHER REQUIREMENTS	IRONMONGERY SET			
02	1	DRS	R07	Core 3	550 x 2000 (100mm from FFL)	N/A	N	S	Plasterboard	None	Concealed metal	Existing	N/A	FD60S	None	Eurocylinder	None		Fire door keep locked' to leading edge	Powder Coated Traffic White					
02	2	DRS	C03	Core 3	Existing altered 1250 x 2275	1050	Y	S	Painted timber	Yes	Painted timber	Existing	N/A	FD60S	Surface Mounted	Eurocylinder, keyturn both sides. Panic bar linked to fire alarm gym side	None		Fire door keep shut lollipop to leading edge	Flat Matte Black					
02	3	DRS	C07	Core 3	Existing altered 1250 x 2275	1050	Y	S	Painted timber	Yes	Painted timber	Existing	N/A	FD30S	Surface Mounted	Panic sash lock .	Door contacts linked to BMS alarm		Fire door keep shut lollipop to leading edge	Satin Stainless Steel					
02	8	DRS	E06	Core 1	910 x 2100	825	N	S	Metal wrapped timber PPC Finish	None	Metal wrapped timber PPC Finish	Existing	N/A	FD60S	None	Eurocylinder, keyed both sides	None		Fire door keep locked' to leading edge	Satin Stainless Steel					
02	9	DRS	C07	Plant	750 x 2100	N/A	N	S	Painted timber	None	Painted timber	420mm	N/A	FD60	None	Eurocylinder	None	0	None	Satin Stainless Steel					
02	11	DRS	C08	Core 01	1940 x 2100	850	Y	D	Painted timber	Yes	Painted timber	100mm	N/A	FD30S	Surface Mounted	Eurocylinder	None		Fire door keep shut lollipop to leading edge	Satin Stainless Steel					
02	12	DRS	C03	Core 1	Existing altered 1250 x 2275	1050	Y	S	Painted timber	Yes	Painted timber	Existing	N/A	FD60S	Surface mounted	Panic sash lock .	Door contacts linked to BMS alarm		Fire door keep shut lollipop to leading edge	Satin Stainless Steel					
02	13	DRS	C08	Store	1340 x 2100	N/A	N	D	Painted timber	None	Painted timber	119mm	N/A	FD30S	None	Eurocylinder	None		TBC	Satin Stainless Steel					
02	15	DRS	L01	Core 1		900						N/A		FD60											
02	16	DRS	L01	Core 1		900						N/A		FD60											
02	19	DRS	R02	Core 1	450 x 650	to fit cabinet	N	S	Plasterboard	None	Concealed metal	Existing	N/A	FD60S	None	Fire person's key	None		Dry riser'						
02	20	DRS	C07	Core 1	910 x 2100	N/A	N	S	Painted timber	None	Painted timber	119mm	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge	Satin Stainless Steel					
02	21	DRS	C08	Core 1	1940 x 2100	1050 using both doors	Y	D	Painted Timber	Yes	Painted Timber	102mm	N/A	FD30S	Surface Mounted	Eurocylinder	None		Fire door keep shut lollipop to leading edge	Satin Stainless Steel					
02	22	DRS	C08	Riser	1540 x 2100	N/A	N	D	Painted Timber	None	Painted Timber	119mm	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge	Satin Stainless Steel					
02	23	DRS	C08	Riser	1140 x 2100	N/A	N	D	Painted timber	None	Painted timber	119mm	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge	Satin Stainless Steel					
02	24	DRS	C08	Riser	1140 x 2100	N/A	N	D	Painted timber	None	Painted timber	119mm	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge	Satin Stainless Steel					
02	35	DRS	C07	Core 2	1250 x 2100	1050	Y	S	Painted timber	Yes	Painted timber	100mm	N/A	FD60S	Surface mounted	Panic sash lock .	Door contacts linked to BMS alarm		Fire door keep shut lollipop to leading edge	Satin Stainless Steel					
02	68	DRS	C07	Core 1	550 x 2100	N/A	N	S	Painted Timber	None	Painted Timber	119mm	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge	Satin Stainless Steel					
02	69	DRS	C07	Core 1	550 x 2100	N/A	N	S	Painted Timber	None	Painted Timber	119mm	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge	Satin Stainless Steel					
02	70	DRS	E06	Lightwell	1010 x 2100	825	N	S	Metal wrapped timber PPC Finish	None	Metal wrapped timber PPC Finish	N/A	N/A	None	Surface Mounted	Eurocylinder	None		Fire door keep shut' to leading edge	Satin Stainless Steel					
03	1	DRS	R07	Core 3	550 x 2000 (100mm from FFL)	N/A	N	S	Plasterboard	None	Concealed metal	Site dim	N/A	FD60S	None	Eurocylinder	None		Fire door keep locked' to leading edge	Powder Coated Traffic White					
03	2	DRS	C03	Core 3	Existing altered 1250 x 2280	1050	Y	S	Painted timber	Yes	Painted timber	Site dim	N/A	FD60S	Surface Mounted	Panic sash lock .	Door contacts linked to BMS alarm		Fire door keep shut lollipop to leading edge	Flat Matte Black					
03	3	DRS	C07	Core 3	Existing altered 1250 x 2280	1050	Y	S	Painted timber	Yes	Painted timber	Site dim	N/A	FD30S	Surface Mounted	None	None		Fire door keep shut lollipop to leading edge	Satin Stainless Steel					
03	4	DRS	C03	Core 3	1010 x 2100	850	N	S	Painted timber	Yes	Painted timber	N/a	N/A	FD60S	Surface Mounted	Eurocylinder with thumb turn plant side	None		Fire door keep shut lollipop to leading edge	flat Matte Black					
03	5	DRS	E06	Plant	1010 x 2100	850	N	S	Metal wrapped timber PPC Finish	None	Metal wrapped timber	100mm	N/A	FD30S	Surface mounted	None	None		Fire door keep shut lollipop to leading edge	Satin Stainless Steel					
03	9	DRS	C07	Gym	1010 x 2100	850	Y	S	Painted timber	Yes	Painted timber	102mm	N/A	N/A	Surface Mounted	Eurocylinder	None		Fire door keep shut lollipop to leading edge	Satin Stainless Steel					
03	13	DRS	C08	Core 1	1940 x 2100	1050 using both doors	Y	D	Painted timber	Yes	Painted timber	102mm	N/A	FD30S	Surface Mounted	Eurocylinder	None		Fire door keep shut lollipop to leading edge	Satin Stainless Steel					
03	15	DRS	C07	Core 1	1250 x 2100	1050	Y	S	Painted timber	Yes	Painted timber	100mm	N/A	FD60S	Surface Mounted	Panic sash lock .	Door contacts linked to BMS alarm		Fire door keep shut lollipop to leading edge	Satin Stainless Steel					
03	16	DRS	L01	Core 1		900								FD60											
03	17	DRS	L01	Core 1		900								FD60											
03	19	DRS	R02	Core 1	450 x 650	to fit cabinet	N	S	Plasterboard	None	Concealed metal	Site Dim	N/A	FD60S	None	Fire person's key	None		Dry riser'						
03	20	DRS	C07	Core 3	910 x 2100	N/A	N	S	Painted timber	None	Painted timber	119mm	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge	Satin Stainless Steel					
03	22	DRS	C08	Core 1	1940 x 2100	1050 using both doors	Y	D	Painted timber	Yes	Painted timber	102mm	N/A	FD30S	Surface mounted	Eurocylinder	None		Fire door keep shut lollipop to leading edge	Satin Stainless Steel					
03	23	DRS	C08	Riser	1540 x 2100	N/A	N	D	Painted timber	None	Painted timber	119mm	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge	Satin Stainless Steel					

BuckleyGrayYeoman

1076_SD-100 - DOOR SCHEDULE																						
Job Name		72 Broadwick Street				Job No.		1076														
Date		Revision		Reason for Issue		Notes																
12/11/2018		P1		Stage 3 Issue		Refer to NBS L20 and P21 and BGY Series sD drawings and BGY - T-sheet Revisions since last issue indicated in bold red text * Clear opening as measured in accordance with approved document B2, diagram C2																
24/05/2019		P2		Preliminary Issue																		
20/06/2019		T1		Stage 2 tender																		
05/07/2019		T2		Stage 2 tender addendum																		
29/07/2019		T3		Updated to some leaf finishes and structural openings																		
06/08/2019		T4		Updates to some structural openings																		
19/09/2019		T5		General updates																		
16/12/2019		C1		Issued for Construction																		
24/01/2020		C2		Door 01-29 added																		
08/06/2020		C3		Doors 00-25 & 03-70 & 4th floor updated, ground floor doors added																		
TAKE DIMENSIONS ON SITE TO CONFIRM ALL EXISTING OPENING SIZES																						
DOOR FLOOR	DOOR NUMBER	DOOR TYPE		LOCATION	STRUCTURAL OPENING W x H (mm)	MIN. CLEAR OPENING (required to one door)*	VISION PANEL	DOUBLE (D) OR SINGLE (S)	LEAF FINISH	KICKPLATE	FRAME FINISH	PARTITION DEPTH (mm Inc. finishes but not joinery overcladding)	ACCOUSTIC RATING (min sound reduction index dB R)	FIRE RATING	DOOR CLOSER	MANUAL LOCKING	ACCESS CONTROL	SECURITY	Signage	Ironmongery finish	OTHER REQUIREMENTS	IRONMONGERY SET
03	24	DRS	C08	Riser	1140 x 2100	N/A	N	D	Painted timber	None	Painted timber	119mm	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge	Satin Stainless Steel		
03	25	DRS	C08	Riser	1140 x 2100	N/A	N	D	Painted timber	None	Painted timber	119mm	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge	Satin Stainless Steel		
03	36	DRS	C07	Core 2	1250 x 2100	1050	Y	S	Painted timber	Yes	Painted timber	100mm	N/A	FD60S	Surface mounted	Panic sash lock .	Door contacts linked to BMS alarm		Fire door keep shut lollipop to leading edge	Satin Stainless Steel		
03	67	DRS	E06	Core 1	910 x 2100	825	N	S	Metal wrapped timber PPC Finish	None	Metal wrapped timber PPC Finish	Site Dim	N/A	FD60S	None	Eurocylinder	None		Fire door keep shut lollipop to leading edge	Satin Stainless Steel		
03	68	DRS	C07	Core 1	550 x 2100	N/A	N	S	Painted Timber	None	Painted Timber	119mm	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge	Satin Stainless Steel		
03	69	DRS	C07	Core 1	550 x 2100	N/A	N	S	Painted Timber	None	Painted Timber	119mm	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge	Satin Stainless Steel		
03	70	DRS	E06	Gantry	1010 x 1570	850	N	S	Metal wrapped timber PPC Finish	None	Metal wrapped timber PPC Finish	N/A	N/A	None	Surface Mounted	Eurocylinder	None		Fire door keep shut' to leading edge	Satin Stainless Steel		
04	1	DRS	R07	Core 3	550 x 2000 (100mm from FFL)	N/A	N	S	Plasterboard	None	Concealed metal	245 (site dim)	N/A	FD60S	None	Eurocylinder	None		Fire door keep locked' to leading edge			
04	2	DRS	C03	Core 3	Existing altered 1250 x 2290	1050	Y	S	Painted timber	Yes	Painted timber	130 (site dim)	N/A	FD60S	Concealed	None	On hold open maglock, linked to fire alarm		Fire door keep shut lollipop to leading edge	Flat Matte Black		
04	3	DRS	C10	Core 2	1300 x 2275 nom. (Leaf 1200 x 2225)	1050 using both doors	Y	S	WF20 to office side, timber veneer stair side	Yes	WF20	130 (site dim)	N/A	FD30S	Concealed	None	Concealed V-lock to open in the event of fire		Fire door keep shut lollipop to leading edge	Flat Matte Black		
04	4	DRS	R01	Riser	2100 x 2300	2000 using both doors	N	D	Painted timber	None	Painted timber	119	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge	Flat Matte Black		
04	5	DRS	R01	Riser	1540 x 2300	N/A	N	D	Painted timber	None	Painted timber	119	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge	Flat Matte Black		
04	6	DRS	R01	Riser	1540 x 2300	N/A	N	D	Painted timber	None	Painted timber	119	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge	Flat Matte Black		
04	7	DRS	R01	Riser	1340 x 2300	N/A	N	D	Painted timber	None	Painted timber	119	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge	Flat Matte Black		
04	8	DRS	C01	Core 1	2005 x 2275 (nom.) (Leaf 1860 x 2225) + glazed over panel	1050 using both doors	N	D	Glazed with timber frame	None	Hardwood	102	N/A	FD30S	Concealed floor pivot	Eurocylinder	V-lock with card reader		Fire door keep shut lollipop to leading edge	Flat Matte Black		
04	9	DRS	C02	Core 1	1010 x 2300	850	N	S	Timber veneer	Yes	Hardwood	102	N/A	None	None	Bathlock	None		Accessible WC	Flat Matte Black		
04	10	DRS	E06	Core 1	910 x 2100	825	N	S	Metal wrapped timber PPC Finish	None	Metal wrapped timber PPC Finish	N/A	N/A	FD60S	None	Eurocylinder, keyed both sides	None		Fire door keep locked' to leading edge	Flat Matte Black		
04	11	DRS	C04	Core 1	1250 x 2300	1050	N	S	Glazed	None	Hardwood	150 (site dim)	N/A	FD60S	Concealed	Eurocylinder	V-lock with card reader		Fire door keep shut lollipop to leading edge			
04	14	DRS	L01	Core 1	2300 (h)	900								FD60								
04	15	DRS	L01	Core 1	2300 (h)	900								FD60								
04	16A	DRS	R04	Core 1	1024 x 2275 (Leaf 924 x 2225)	N/A	N	S	WF20	None	WF20	119	N/A	None	None	Eurocylinder	None	None	Powder Coated to match joinery. RAL TBC			
04	16B	DRS	R03	Core 1	To sit behind DRS-04-16A	N/A	N	S	Painted timber	None	Concealed painted timber	as above	N/A	FD60	None	Eurocylinder	None	None	'Fire door keep locked' to leading edge	Satin Stainless Steel		
04	17	DRS	R02	Core 1	450 x 650	to fit cabinet	N	S	Plasterboard	None	Concealed metal	119	N/A	FD60S	None	Fire person's key	None		Dry riser'			
04	18	DRS	C01	Core 1	2005 x 2275 nom. (Leaf 1860 x 2225) + glazed over panel	1050 using both doors	N	D	Glazed with timber frame	None	Hardwood	102	N/A	FD30S	Concealed floor pivot	Eurocylinder	V-lock with card reader		Fire door keep shut lollipop to leading edge	Flat Matte Black		
04	19A	DRS	R05	Riser	1710 x 2275 (Leaf 1610 x 2225)	N/A	N	D	WF20	None	WF20	119	N/A	None	None	Eurocylinder	None	None	Powder Coated to match joinery. RAL TBC			
04	19B	DRS	R01	Core 1	To sit behind DRS-04-19A	N/A	N	D	Painted timber	None	Concealed painted timber	as above	N/A	FD60	None	Eurocylinder	None	None	'Fire door keep locked' to leading edge	Satin Stainless Steel		
04	22	DRS	C05	WCs	1185 X 2275 (Leaf 1074 x 2225)	850	Y	S	WF20	None	WF20	102	N/A	None	Concealed floor pivot	None	None		WC	Powder Coated to match joinery. RAL TBC		
04	23	DRS	WC03	WCs	1010 x 2375 (to ceiling)	850	N	S	See NBS specification	None	WF10	102	N/A	None	Concealed closer	None	None		None	Flat Matte Black		
04	24	DRS	WC01	WCs	825 x 2375 (to ceiling)	750	N	S	WF10	None	WF10	N/A	N/A	None	Rising butt hinge with damper	Bathlock	None		None	Flat Matte Black		
04	25	DRS	WC01	WCs	825 x 2375 (to ceiling)	750	N	S	WF10	None	WF10	N/A	N/A	None	Rising butt hinge with damper	Bathlock	None		None	Flat Matte Black		
04	26	DRS	WC01	WCs	825 x 2375 (to ceiling)	750	N	S	WF10	None	WF10	N/A	N/A	None	Rising butt hinge with damper	Bathlock	None		None	Flat Matte Black		
04	27	DRS	R09	WCs	1140 x 2375 (to celing)	N/A	N	D	WF10	None	WF10	119	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge	Flat Matte Black		
04	28	DRS	WC01	WCs	825 x 2375 (to ceiling)	750	N	S	WF10	None	WF10	N/A	N/A	None	Rising butt hinge with damper	Bathlock	None		None	Flat Matte Black		

BuckleyGrayYeoman

1076_sD-100 - DOOR SCHEDULE																							
Job Name		72 Broadwick Street				Job No.		1076															
Date		Revision		Reason for Issue		Notes																	
12/11/2018		P1		Stage 3 Issue		Refer to NBS L20 and P21 and BGY Series sD drawings and BGY - T-sheet Revisions since last issue indicated in bold red text * Clear opening as measured in accordance with approved document B2, diagram C2																	
24/05/2019		P2		Preliminary Issue																			
20/06/2019		T1		Stage 2 tender																			
05/07/2019		T2		Stage 2 tender addendum																			
29/07/2019		T3		Updated to some leaf finishes and structural openings																			
06/08/2019		T4		Updates to some structural openings																			
19/09/2019		T5		General updates																			
16/12/2019		C1		Issued for Construction																			
24/01/2020		C2		Door 01-29 added																			
08/06/2020		C3		Doors 00-25 & 03-70 & 4th floor updated, ground floor doors added																			
TAKE DIMENSIONS ON SITE TO CONFIRM ALL EXISTING OPENING SIZES																							
DOOR FLOOR	DOOR NUMBER	DOOR TYPE		LOCATION	STRUCTURAL OPENING W x H (mm)	MIN. CLEAR OPENING (required to one door)*	VISION PANEL	DOUBLE (D) OR SINGLE (S)	LEAF FINISH	KICKPLATE	FRAME FINISH	PARTITION DEPTH (mm Inc. finishes but not joinery overcladding)	ACCOUSTIC RATING (min sound reduction index dB R)	FIRE RATING	DOOR CLOSER	MANUAL LOCKING	ACCESS CONTROL	SECURITY	Signage	Ironmongery finish	OTHER REQUIREMENTS	IRONMONGERY SET	
04	29	DRS	WC01	WCs	825 x 2375 (to ceiling)	750	N	S	WF10	None	WF10	N/A	N/A	None	Rising butt hinge with damper	Bathlock	None		None	Flat Matte Black			
04	30	DRS	WC01	WCs	825 x 2375 (to ceiling)	750	N	S	WF10	None	WF10	N/A	N/A	None	Rising butt hinge with damper	Bathlock	None		None	Flat Matte Black			
04	31	DRS	WC01	WCs	825 x 2375 (to ceiling)	750	N	S	WF10	None	WF10	N/A	N/A	None	Rising butt hinge with damper	Bathlock	None		None	Flat Matte Black			
04	32	DRS	C10	Core 2	1300 x 2275 (Leaf 1200 x 2225)	1050	Y	S	WF20 to office side, timber veneer stair side	Yes	WF20	102	N/A	FD60S	Concealed	None	Concealed V-lock to open in the event of fire		Fire door keep shut lollipop to leading edge	Powder Coated to match joinery. RAL TBC			
04	33	DRS	R09	WCs	1140 x 2375 (to celing)	N/A	N	D	WF10	None	WF10	119	N/A	FD60	None	Eurocylinder	None		Fire door keep locked' to leading edge	Flat Matte Black			
04	34	DRS	C05	WCs	1185 x 2275 (leaf 1074 x 2225)	850	Y	S	WF20	None	WF20	102	N/A	None	Concealed floor pivot	None	None		WC	Powder Coated to match joinery. RAL TBC			
04	35	DRS	WC05	WCs	1010 x 2375 (to ceiling)	850	N	S	See NBS specification	None	WF10	102	N/A	None	Concealed closer	None	None		None	Flat Matte Black			
04	36	DRS	WC01	WCs	825 x 2375 (to ceiling)	750	N	S	WF10	None	WF10	N/A	N/A	None	Rising butt hinge with damper	Bathlock	None		None	Flat Matte Black			
04	37	DRS	WC01	WCs	825 x 2375 (to ceiling)	750	N	S	WF10	None	WF10	N/A	N/A	None	Rising butt hinge with damper	Bathlock	None		None	Flat Matte Black			
04	38	DRS	WC01	WCs	825 x 2375 (to ceiling)	750	N	S	WF10	None	WF10	N/A	N/A	None	Rising butt hinge with damper	Bathlock	None		None	Flat Matte Black			
04	39	DRS	WC01	WCs	825 x 2375 (to ceiling)	750	N	S	WF10	None	WF10	N/A	N/A	None	Rising butt hinge with damper	Bathlock	None		None	Flat Matte Black			
04	40	DRS	WC01	WCs	825 x 2375 (to ceiling)	750	N	S	WF10	None	WF10	N/A	N/A	None	Rising butt hinge with damper	Bathlock	None		None	Flat Matte Black			
04	41	DRS	WC01	WCs	825 x 2375 (to ceiling)	750	N	S	WF10	None	WF10	N/A	N/A	None	Rising butt hinge with damper	Bathlock	None		None	Flat Matte Black			
04	42	DRS	WC01	WCs	825 x 2375 (to ceiling)	750	N	S	WF10	None	WF10	N/A	N/A	None	Rising butt hinge with damper	Bathlock	None		None	Flat Matte Black			
04	43A	DRS	R04	Core 2	1040 x 2275 (Leaf 924 x 2225)	N/A	N	S	WF20	None	WF20	102	N/A	None	None	Eurocylinder	None		None	Powder Coated to match joinery. RAL TBC			
04	43B	DRS	R03	Core 1	To sit behind DRS-04-43A	N/A	N	S	Painted timber	None	Concealed painted timber	as above	N/A	FD60	None	Eurocyclinder	None		'Fire door keep locked' to leading edge	Satin Stainless Steel			
04	44	DRS	R04	Core 2	1040 x 2275 (Leaf 924 x 2225)	N/A	N	S	WF20	None	WF20	102	N/A	None	None	Eurocylinder	None		None	Powder Coated to match joinery. RAL TBC			
04	45A	DRS	R05	Core 2	1297 x 2275 (Leaf 1181 x 2225)	N/A	N	D	WF20	None	WF20	102	N/A	None	None	Eurocylinder	None		None	Powder Coated to match joinery. RAL TBC			
04	45B	DRS	R01	Core 1	To sit behind DRS-04-45A	N/A	N	D	Painted timber	None	Concealed painted timber	as above	N/A	FD60	None	Eurocyclinder	None		'Fire door keep locked' to leading edge	Satin Stainless Steel			
04	46	DRS	R04	Core 2	783 x 2785 (Leaf 667 x 2735)	N/A	N	S	WF20	None	WF20	102	N/A	None	None	Eurocylinder	None		None	Powder Coated to match joinery. RAL TBC			
04	47	DRS	R05	Core 2	2326 x 2275 (Leaf 2210 x 2225)	2000	N	D	WF20	None	WF20	102	N/A	None	None	Eurocylinder	None		None	Powder Coated to match joinery. RAL TBC			
04	48	DRS	R05	Core 2	1554 x 2785 (Leaf 1438 x 2735)	N/A	N	D	WF20	None	WF20	102	N/A	None	None	Eurocylinder	None		None	Powder Coated to match joinery. RAL TBC			
04	49	DRS	R04	Core 2	1126 x 2785 (Leaf 1010 x 2735)	N/A	N	S	WF20	None	WF20	102	N/A	None	None	Eurocylinder	None		None	Powder Coated to match joinery. RAL TBC			
04	50	DRS	R05	Core 2	2326 x 2275 (Leaf 2210 x 2225)	2000	N	D	WF20	None	WF20	102	N/A	None	None	Eurocylinder	None		None	Powder Coated to match joinery. RAL TBC			
04	51	DRS	R05	Core 2	1554 x 2785 (Leaf 1438 x 2735)	N/A	N	D	WF20	None	WF20	102	N/A	None	None	Eurocylinder	None		None	Powder Coated to match joinery. RAL TBC			
04	52A	DRS	R05	Core 2	1554 x 2275 (Leaf 1438 x 2225)	N/A	N	D	WF20	None	WF20	102	N/A	None	None	Eurocylinder	None		None	Powder Coated to match joinery. RAL TBC			
04	52B	DRS	R01	Core 1	To sit behind DRS-04-52A	N/A	N	D	Painted timber	None	Concealed painted timber	as above	N/A	FD60	None	Eurocyclinder	None		'Fire door keep locked' to leading edge	Satin Stainless Steel			
04	53A	DRS	R04	Core 2	783 x 2275 (Leaf 667 x 2225)	N/A	N	S	WF20	None	WF20	102	N/A	None	None	Eurocylinder	None		None	Powder Coated to match joinery. RAL TBC			
04	53B	DRS	R03	Core 1	To sit behind DRS-04-53A	N/A	N	S	Painted timber	None	Concealed painted timber	as above	N/A	FD60	None	Eurocyclinder	None		'Fire door keep locked' to leading edge	Satin Stainless Steel			
04	54	DRS	R04	Core 2	954 x 2275 (Leaf 838 x 2225)	N/A	N	S	WF20	None	WF20	102	N/A	None	None	Eurocylinder	None		None	Powder Coated to match joinery. RAL TBC			
04	55	DRS	R04	Core 2	954 x 2785 (Leaf 838 x 2735)	N/A	N	S	WF20	None	WF20	102	N/A	None	None	Eurocylinder	None		None	Powder Coated to match joinery. RAL TBC			
04	56	DRS	R05	Core 2	2326 x 2785 (Leaf 2210 x 2225)	2000	N	D	WF20	None	WF20	102	N/A	None	None	Eurocylinder	None		None	Powder Coated to match joinery. RAL TBC			
04	57	DRS	R04	Core 2	1126 x 2785 (Leaf 1010 x 2735)	N/A	N	S	WF20	None	WF20	102	N/A	None	None	Eurocylinder	None		None	Powder Coated to match joinery. RAL TBC			
04	58	DRS	R04	Core 2	1126 x 2275 (Leaf 1010 x 2225)	N/A	N	S	WF20	None	WF20	102	N/A	None	None	Eurocylinder	None		None	Powder Coated to match joinery. RAL TBC			
04	59	DRS	R04	Core 2	1126 x 2275 (Leaf 1010 x 2225)	N/A	N	S	WF20	None	WF20	102	N/A	None	None	Eurocylinder	None		None	Powder Coated to match joinery. RAL TBC			
04	60	DRS	R04	Core 2	1126 x 2785 (Leaf 1010 x 2735)	N/A	N	S	WF20	None	WF20	102	N/A	None	None	Eurocylinder	None		None	Powder Coated to match joinery. RAL TBC			

BuckleyGrayYeoman

BuckleyGrayYeoman

1076_SD-100 - DOOR SCHEDULE																													
Job Name		72 Broadwick Street					Job No.		1076													BuckleyGrayYeoman							
Date		Revision		Reason for Issue		Notes																							
12/11/2018		P1		Stage 3 Issue		Refer to NBS L20 and P21 and BGY Series sD drawings and BGY - T-sheet Revisions since last issue indicated in bold red text * Clear opening as measured in accordance with approved document B2, diagram C2																							
24/05/2019		P2		Preliminary Issue																									
20/06/2019		T1		Stage 2 tender																									
05/07/2019		T2		Stage 2 tender addendum																									
29/07/2019		T3		Updated to some leaf finishes and structural openings																									
06/08/2019		T4		Updates to some structural openings																									
19/09/2019		T5		General updates																									
16/12/2019		C1		Issued for Construction																									
24/01/2020		C2		Door 01-29 added																									
08/06/2020		C3		Doors 00-25 & 03-70 & 4th floor updated, ground floor doors added																									
TAKE DIMENSIONS ON SITE TO CONFIRM ALL EXISTING OPENING SIZES																													
DOOR FLOOR	DOOR NUMBER	DOOR TYPE		LOCATION	STRUCTURAL OPENING W x H (mm)	MIN. CLEAR OPENING (required to one door)*	VISION PANEL	DOUBLE (D) OR SINGLE (S)	LEAF FINISH	KICKPLATE	FRAME FINISH	PARTITION DEPTH (mm Inc. finishes but not joinery overcladding)	ACCOUSTIC RATING (min sound reduction index dB R)	FIRE RATING	DOOR CLOSER	MANUAL LOCKING	ACCESS CONTROL	SECURITY	Signage	Ironmongery finish	OTHER REQUIREMENTS	IRONMONGERY SET							
04	61	DRS	R05	Core 2	2326 x 2275 (Leaf 2210 x 2225)	2000	N	D	WF20	None	WF20	102	N/A	None	None	Eurocylinder	None		None	Powder Coated to match joinery. RAL TBC									
04	62	DRS	WC01	WCs	1010 x 2375 (to ceiling)	825	N	S	WF-20	None	WF-20	102	N/A	None	None	None	None		None										
04	63	DRS	R07	Core 2	1010 x 2000 (100mm from FFL)	800	N	S	Plasterboard	None	Concealed metal	102	N/A	FD60S	None	Eurocylinder	None		Fire door keep locked' to leading edge	Flat Matte Black									
04	64A	DRS	R04	Core 1	611 x 2275 (Leaf 495 x 2225)	N/A	N	S	WF20	None	WF20	119	N/A	None	None	Eurocylinder	None		None	Powder Coated to match joinery. RAL TBC									
04	64B	DRS	R03	Core 1	To sit behind DRS-04-64A	N/A	N	S	Painted timber	None	Concealed painted timber	as above	N/A	FD60	None	Eurocylinder	None		'Fire door keep locked' to leading edge	Satin Stainless Steel									
04	65A	DRS	R04	Core 1	611 x 2275 (Leaf 495 x 2225)	N/A	N	S	WF20	None	WF20	119	N/A	None	None	Eurocylinder	None		None	Powder Coated to match joinery. RAL TBC									
04	65B	DRS	R03	Core 1	To sit behind DRS-04-65A	N/A	N	S	Painted timber	None	Concealed painted timber	as above	N/A	FD60	None	Eurocylinder	None		'Fire door keep locked' to leading edge	Satin Stainless Steel									
04	66	DRS	R04	Core 2	1126 x 2785 (Leaf 1010 x 2735)	N/A	N	S	WF20	None	WF20	102	N/A	None	None	Eurocylinder	None		None	Powder Coated to match joinery. RAL TBC									
04	67	DRS	E06	Gantry	1010 x 2025	850	N	S	Metal wrapped timber PPC Finish	None	Metal wrapped timber PPC Finish	N/A	N/A	None	Surface Mounted	Eurocylinder	None		Fire door keep shut' to leading edge	Satin Stainless Steel									
05	1	DRS	R07	Core 3	550 x 2000 (100mm from FFL)	N/A	N	S	Plasterboard	None	Concealed metal	existing	N/A	FD60S	None	Eurocylinder	None		Fire door keep locked' to leading edge	Powder Coated Traffic white									
05	2	DRS	C02	Core 3	1010 x 2200	850	Y	S	Timber veneer	Yes	Hardwood	102	29	FD60S	Concealed	None	None		Fire door keep shut lollipop to leading edge	Flat Matte Black									
05	3	DRS	R03	Store	810 x 2200	N/A	N	S	Painted timber	None	Painted timber	102	N/A	FD60S	Concealed	Eurocylinder	None		Fire door keep shut lollipop to leading edge	Flat Matte Black									
05	4	DRS	R03	Store	750 x 2200	N/A	N	S	Painted timber	None	Painted timber	102	N/A	FD30S	None	Eurocylinder	None		Fire door keep locked' lollipop to leading edge	Flat Matte Black									
05	5	DRS	E04	Core 3	1250 x 2200	1050	N/A	S	Glazed	None	PPC Metal		33	FD30S	Concealed	None	Automatically opens in the event of fire		None	Flat Matte Black									
05	6	DRS	L02	Core 3		900								FD60	N/A														
05	7	DRS	R03	Store	910 x 2200	N/A	N	S	Painted timber	None	Painted timber	existing	N/A	FD30S	Concealed	Eurocylinder, UKPN override	None		Fire door keep shut lollipop to leading edge	Flat Matte Black									
05	8	DRS	R01	Store	1540 x 2200	1400 using both doors	N	D	Painted timber	Yes	Painted timber	197	N/A	FD30S	Concealed	Eurocylinder with thumb turn internally	None		Fire door keep shut lollipop to leading edge	Flat Matte Black									
05	9	DRS	R03	Store	840 x 2200	N/A	N	S	Painted timber	None	Painted timber	102	N/A	FD30S	None	Eurocylinder	None		Fire door keep locked' to leading edge	Flat Matte Black									
05	10	DRS	R03	Store	840 x 2200	N/A	N	S	Painted timber	None	Painted timber	102	N/A	FD30S	None	Eurocylinder	None		Fire door keep locked' to leading edge	Flat Matte Black									
05	11	DRS	E06	Gantry	910 x 2200	N/A	N	S	Metal wrapped timber PPC Finish	None	Metal wrapped timber PPC Finish	N/A	33	FD60S	Concealed	Eurocylinder	None		Fire door keep locked' to leading edge	Flat Matte Black									
05	12	DRS	C02	Core 1	1010 x 2200	850	Y	S	Timber Veneer	Yes	Hardwood	102	29	FD30S	Concealed	Eurocylinder, lever handle to inside to unlock	None		Fire door keep shut lollipop to leading edge	Flat Matte Black									
05	13	DRS	C02	Core 1	1010 x 2200	850	Y	S	Timber Veneer	Yes	Hardwood	102	N/A	FD60S	Concealed	Panic sash lock .	Door contacts linked to BMS alarm		Fire door keep shut lollipop to leading edge. 'Emergency escape only'	Flat Matte Black									
05	14	DRS	L01	Core 1		900								FD60															
05	15	DRS	C02	Core 1	1010 x 2200	850	Y	S	Timber Veneer	Yes	Hardwood	102	N/A	FD30S	Concealed	None	None		Fire door keep shut lollipop to leading edge	Flat Matte Black									
05	16	DRS	R03	Core 1	1010 x 2200	N/A	N	S	Painted timber	None	Painted timber	102	N/A	FD60S	Concealed	Eurocylinder	None		Fire door keep locked lollipop to leading edge	Flat Matte Black									
05	17	DRS	E04	Core 1	1250 x 2200	1050	N/A	D	Glazed	None	PPC Metal		33	FD30S	None	None	Automatically opens in the event of fire		None	Flat Matte Black									
05	18	DRS	E06	Core 1	1740 x 2200	1600 using both doors	N	D	Metal wrapped timber PPC Finish	None	Metal wrapped timber PPC Finish		N/A	FD60S	Concealed	Eurocylinder	None		Fire door keep locked lollipop to leading edge	Flat Matte Black									
05	19	DRS	E04	Courtyard	1250 x 2200	1050	N/A	S	Glazed	None	PPC Metal		33	FD30S	Concealed	Eurocylinder, lever handle to inside to unlock	None		Fire door keep shut lollipop to leading edge	Flat Matte Black									
05	20	DRS	R01	Store	1140 x 2200	N/A	N	D	Painted timber	None	Painted timber	102	N/A	FD30S	None	Eurocylinder	None		Fire door keep locked lollipop to leading edge	Flat Matte Black									
05	21	DRS	R03	Store	1010 x 2200	N/A	N	S	Painted timber	None	Painted timber	102	N/A	FD30S	None	Eurocylinder	None		Fire door keep locked lollipop to leading edge	Flat Matte Black									
05	22	DRS	E04	Courtyard	1250 x 2200	1050	N/A	S	Glazed	None	PPC Metal		33	FD30S	Concealed	Eurocylinder, lever handle to inside to unlock	None		Fire door keep shut lollipop to leading edge	Flat Matte Black									
05	23	DRS	R01	Store	1595 x 2200	N/A	N	D	Painted timber	None	Painted timber	102	N/A	FD30S	None	Eurocylinder	None		Fire door keep locked lollipop to leading edge	Flat Matte Black									
05	24	DRS	R01	Store	1595 x 2200	N/A	N	D	Painted timber	None	Painted timber	102	N/A	FD30S	None	Eurocylinder	None		Fire door keep locked lollipop to leading edge	Flat Matte Black									

BuckleyGrayYeoman

1076_sD-100 - DOOR SCHEDULE																				BuckleyGrayYeoman					
Job Name		72 Broadwick Street					Job No.		1076																
Date		Revision		Reason for Issue		Notes																			
12/11/2018		P1		Stage 3 Issue		Refer to NBS L20 and P21 and BGY Series sD drawings and BGY - T-sheet Revisions since last issue indicated in bold red text * Clear opening as measured in accordance with approved document B2, diagram C2																			
24/05/2019		P2		Preliminary Issue																					
20/06/2019		T1		Stage 2 tender																					
05/07/2019		T2		Stage 2 tender addendum																					
29/07/2019		T3		Updated to some leaf finishes and structural openings																					
06/08/2019		T4		Updates to some structural openings																					
19/09/2019		T5		General updates																					
16/12/2019		C1		Issued for Construction																					
24/01/2020		C2		Door 01-29 added																					
08/06/2020		C3		Doors 00-25 & 03-70 & 4th floor updated, ground floor doors added																					
TAKE DIMENSIONS ON SITE TO CONFIRM ALL EXISTING OPENING SIZES						MIN. CLEAR OPENING (required to one door)*																			
DOOR FLOOR	DOOR NUMBER	DOOR TYPE		LOCATION	STRUCTURAL OPENING W x H (mm)		VISION PANEL	DOUBLE (D) OR SINGLE (S)	LEAF FINISH	KICKPLATE	FRAME FINISH	PARTITION DEPTH (mm Inc. finishes but not joinery overcladding)	ACCOUSTIC RATING (min sound reduction index dB R)	FIRE RATING	DOOR CLOSER	MANUAL LOCKING	ACCESS CONTROL	SECURITY	Signage	Ironmongery finish	OTHER REQUIREMENTS	IRONMONGERY SET			
05	25	DRS	A01	Flat 6	1010 x 2200	850	N	S	Painted hardwood	None	Painted hardwood	268	29	FC30S	Concealed	Eurocylinder	None	To meet PAS 24:2012 & AD Q	Apartment number	Flat Matte Black					
05	26	DRS	A04	Flat 6	1340 x 2200	N/A	N	D	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				
05	27	DRS	A04	Flat 6	1140 x 2200	N/A	N	D	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				
05	28	DRS	A02	Flat 6	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				
05	29	DRS	A02	Flat 6	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				
05	30	DRS	A02	Flat 6	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				
05	31	DRS	A02	Flat 6	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	135	N/A	None	None	Bathlock	None	None		None	Flat Matte Black				
05	32	DRS	A02	Flat 6	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	135	N/A	None	None	Bathlock	None	None		None	Flat Matte Black				
05	33	DRS	A01	Flat 5	1010 x 2200	850	N	S	Painted hardwood	None	Painted hardwood	268	29	FC30S	Concealed	Eurocylinder	None	To meet PAS 24:2012 & AD Q	Apartment number	Flat Matte Black					
05	34	DRS	A02	Flat 5	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				
05	35	DRS	A04	Flat 5	1140 x 2200	N/A	N	D	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				
05	36	DRS	A02	Flat 5	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	135	N/A	None	None	Bathlock	None	None		None	Flat Matte Black				
05	37	DRS	A01	Flat 4	1010 x 2200	850	N	S	Painted hardwood	None	Painted hardwood	268	29	FC30S	Concealed	Eurocylinder	None	To meet PAS 24:2012 & AD Q	Apartment number	Flat Matte Black					
05	38	DRS	A04	Flat 4	1340 x 2200	N/A	N	D	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				
05	39	DRS	A03	Flat 4	2000 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	135	N/A	None	None	Bathlock	None	None		None	Flat Matte Black				
05	40	DRS	A02	Flat 4	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				
05	41	DRS	A01	Flat 3	1010 x 2200	850	N	S	Painted hardwood	None	Painted hardwood	268	29	FC30S	Concealed	Eurocylinder	None	To meet PAS 24:2012 & AD Q	Apartment number	Flat Matte Black					
05	42	DRS	A02	Flat 3	910 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	135	N/A	None	None	Bathlock	None	None		None	Flat Matte Black				
05	43	DRS	A04	Flat 3	1340 x 2200	N/A	N	D	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				
05	44	DRS	A02	Flat 3	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				
05	45	DRS	A01	Flat 2	1010 x 2200	850	N	S	Painted hardwood	None	Painted hardwood	268	29	FC30S	Concealed	Eurocylinder	None	To meet PAS 24:2012 & AD Q	Apartment number	Flat Matte Black					
05	46	DRS	A02	Flat 2	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				
05	47	DRS	A04	Flat 2	1140 x 2200	N/A	N	D	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				
05	48	DRS	A02	Flat 2	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	135	N/A	None	None	Bathlock	None	None		None	Flat Matte Black				
05	49	DRS	A02	Flat 2	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				
05	50	DRS	A02	Flat 2	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				
05	51	DRS	A02	Flat 2	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				
05	52	DRS	A03	Flat 2	2000 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	135	N/A	None	None	Bathlock	None	None		None	Flat Matte Black				
05	53	DRS	A01	Flat 1	1010 x 2200	850	N	S	Painted hardwood	None	Painted hardwood	268	29	FC30S	Concealed	Eurocylinder	None	To meet PAS 24:2012 & AD Q	Apartment number	Flat Matte Black					
05	54	DRS	A02	Flat 1	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				
05	55	DRS	A02	Flat 1	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	135	N/A	None	None	Bathlock	None	None		None	Flat Matte Black				
05	56	DRS	A02	Flat 1	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				
05	57	DRS	A01	Flat 15	1010 x 2200	850	N	S	Painted hardwood	None	Painted hardwood	268	29	FC30S	Concealed	Eurocylinder	None	To meet PAS 24:2012 & AD Q	Apartment number	Flat Matte Black					
05	58	DRS	A02	Flat 15	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	135	N/A	None	None	Bathlock	None	None		None	Flat Matte Black				
05	59	DRS	A04	Flat 15	1540 x 2200	N/A	N	D	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				
05	60	DRS	A02	Flat 15	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				
05	62	DRS	A01	Flat 14	1010 x 2200	850	N	S	Painted hardwood	None	Painted hardwood	268	29	FC30S	Concealed	Eurocylinder	None	To meet PAS 24:2012 & AD Q	Apartment number	Flat Matte Black					
05	63	DRS	A04	Flat 14	1540 x 2200	825	N	D	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				
05	64	DRS	A03	Flat 14	2000 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	135	N/A	None	None	Bathlock	None	None		None	Flat Matte Black				
05	65	DRS	A02	Flat 14	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				
05	66	DRS	A02	Flat 14	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				
05	67	DRS	A01	Flat 13	1010 x 2200	850	N	S	Painted hardwood	None	Painted hardwood	268	29	FC30S	Concealed	Eurocylinder	None	To meet PAS 24:2012 & AD Q	Apartment number	Flat Matte Black					
05	68	DRS	A02	Flat 13	910 x 2200	N/A	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				
05	69	DRS	A04	Flat 13	1340 x 2200	N/A	N	D	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None		None	Flat Matte Black				

1076_sD-100 - DOOR SCHEDULE																					BuckleyGrayYeoman			
Job Name		72 Broadwick Street					Job No.		1076															
Date		Revision		Reason for Issue		Notes																		
12/11/2018		P1		Stage 3 Issue		Refer to NBS L20 and P21 and BGY Series sD drawings and BGY - T-sheet Revisions since last issue indicated in bold red text * Clear opening as measured in accordance with approved document B2, diagram C2																		
24/05/2019		P2		Preliminary Issue																				
20/06/2019		T1		Stage 2 tender																				
05/07/2019		T2		Stage 2 tender addendum																				
29/07/2019		T3		Updated to some leaf finishes and structural openings																				
06/08/2019		T4		Updates to some structural openings																				
19/09/2019		T5		General updates																				
16/12/2019		C1		Issued for Construction																				
24/01/2020		C2		Door 01-29 added																				
08/06/2020		C3		Doors 00-25 & 03-70 & 4th floor updated, ground floor doors added																				
TAKE DIMENSIONS ON SITE TO CONFIRM ALL EXISTING OPENING SIZES							MIN. CLEAR OPENING (required to one door)*	VISION PANEL	DOUBLE (D) OR SINGLE (S)	LEAF FINISH	KICKPLATE	FRAME FINISH	PARTITION DEPTH (mm Inc. finishes but not joinery overcladding)	ACCOUSTIC RATING (min sound reduction index dB R)	FIRE RATING	DOOR CLOSER	MANUAL LOCKING	ACCESS CONTROL	SECURITY	Signage	Ironmongery finish	OTHER REQUIREMENTS	IRONMONGERY SET	
05	70	DRS	A03	Flat 13	2000 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	None	None	Flat Matte Black		
05	71	DRS	A02	Flat 13	810 x 2200	N/A	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	None	None	Flat Matte Black		
05	72	DRS	A03	Flat 13	2000 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	135	N/A	None	None	None	Bathlock	None	None	None	None	Flat Matte Black		
05	73	DRS	A02	Flat 13	910 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	None	None	Flat Matte Black		
05	74	DRS	A01	Flat 12	1010 x 2200	850	N	S	Painted hardwood	None	Painted hardwood	268	29	FC30S	Concealed	Eurocylinder	None	To meet PAS 24:2012 & AD Q	Apartment number	Flat Matte Black				
05	75	DRS	A02	Flat 12	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	None	None	Flat Matte Black		
05	76	DRS	A02	Flat 12	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	135	N/A	None	None	None	Bathlock	None	None	None	None	Flat Matte Black		
05	77	DRS	A04	Flat 12	1195 x 2200	N/A	N	D	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	None	None	Flat Matte Black		
05	78	DRS	A01	Flat 11	1010 x 2200	850	N	S	Painted hardwood	None	Painted hardwood	268	29	FC30S	Concealed	Eurocylinder	None	To meet PAS 24:2012 & AD Q	Apartment number	Flat Matte Black				
05	79	DRS	A02	Flat 11	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	None	None	Flat Matte Black		
05	80	DRS	A02	Flat 11	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	None	None	Flat Matte Black		
05	81	DRS	A02	Flat 11	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	None	None	Flat Matte Black		
05	82	DRS	A02	Flat 11	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	135	N/A	None	None	None	Bathlock	None	None	None	None	Flat Matte Black		
05	83	DRS	A03	Flat 11	2000 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	135	N/A	None	None	None	Bathlock	None	None	None	None	Flat Matte Black		
05	84	DRS	A04	Flat 11	1540 x 2200	N/A	N	D	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	None	None	Flat Matte Black		
05	85	DRS	A01	Flat 10	1010 x 2200	850	N	S	Painted hardwood	None	Painted hardwood	268	29	FC30S	Concealed	Eurocylinder	None	To meet PAS 24:2012 & AD Q	Apartment number	Flat Matte Black				
05	86	DRS	A02	Flat 10	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	135	N/A	None	None	None	Bathlock	None	None	None	None	Flat Matte Black		
05	87	DRS	A02	Flat 10	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	None	None	Flat Matte Black		
05	88	DRS	A03	Flat 10	2000 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	None	None	Flat Matte Black		
05	89	DRS	A02	Flat 10	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	None	None	Flat Matte Black		
05	90	DRS	A02	Flat 10	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	135	N/A	None	None	None	Bathlock	None	None	None	None	Flat Matte Black		
05	91	DRS	A04	Flat 10	1540 x 2200	N/A	N	D	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	None	None	Flat Matte Black		
05	92	DRS	A01	Flat 9	1010 x 2200	850	N	S	Painted hardwood	None	Painted hardwood	268	29	FC30S	Concealed	Eurocylinder	None	To meet PAS 24:2012 & AD Q	Apartment number	Flat Matte Black				
05	93	DRS	A02	Flat 9	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	None	None	Flat Matte Black		
05	94	DRS	A04	Flat 9	1340 x 2200	N/A	N	D	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	None	None	Flat Matte Black		
05	95	DRS	A02	Flat 9	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	None	None	Flat Matte Black		
05	96	DRS	A01	Flat 8	1010 x 2200	850	N	S	Painted hardwood	None	Painted hardwood	268	29	FC30S	Concealed	Eurocylinder	None	To meet PAS 24:2012 & AD Q	Apartment number	Flat Matte Black				
05	97	DRS	A04	Flat 8	1595 x 2200	N/A	N	D	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	None	None	Flat Matte Black		
05	98	DRS	A02	Flat 8	910 x 2200	750	N	S	Painted hardwood	None	Painted hardwood	135	N/A	None	None	None	Bathlock	None	None	None	None	Flat Matte Black		
05	99	DRS	A02	Flat 8	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	None	None	Flat Matte Black		
05	100	DRS	A02	Flat 8	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	None	None	Flat Matte Black		
05	101	DRS	A02	Flat 8	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	135	N/A	None	None	None	Bathlock	None	None	None	None	Flat Matte Black		
05	102	DRS	A01	Flat 7	1010 x 2200	850	N	S	Painted hardwood	None	Painted hardwood	268	29	FC30S	Concealed	Eurocylinder	None	To meet PAS 24:2012 & AD Q	Apartment number	Flat Matte Black				
05	103	DRS	A04	Flat 7	1340 x 2200	N/A	N	D	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	None	None	Flat Matte Black		
05	104	DRS	A02	Flat 7	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	None	None	Flat Matte Black		
05	105	DRS	A02	Flat 7	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	None	None	Flat Matte Black		
05	106	DRS	A02	Flat 7	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	135	N/A	None	None	None	Bathlock	None	None	None	None	Flat Matte Black		
05	107	DRS	A02	Flat 7	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	None	None	Flat Matte Black		
05	108	DRS	A06	Flat 7	1375 x 2300 (inc. fixed side panel)	825	N/A	S	Steel framed glazed door and fixed panel with PPC finish	None	Steel with PPC finish	135	N/A	None	None	None	Bathlock	None		None	None	Flat Matte Black		
05	109	DRS	A02	Flat 9	1010 x 2200	825	N	S	Painted hardwood	None	Painted hardwood	135	N/A	None	None	None	Bathlock	None		None	None	Flat Matte Black		
05	110	DRS	R01	Resi lobby	1595 x 2100	N/A	N	D	Painted hardwood	None	Painted hardwood	102	N/A	FC30S	None	Eurocylinder	None		Fire door keep locked lollipop to leading edge	Flat Matte Black				
05	111	DRS	A05	Gas meter cupboard	500 x 500	N/A	N	S	Painted hardwood	None	Painted hardwood	120	N/A	FD30S	None	None	None	None	None	None	None	Flat Matte Black		
05	112	DRS	A05	Gas meter cupboard	500 x 500	N/A	N	S	Painted hardwood	None	Painted hardwood	120	N/A	FD30S	None	None	None	None	None	None	None	Flat Matte Black		
05	113	DRS	A05	Gas meter cupboard	500 x 500	N/A	N	S	Painted hardwood	None	Painted hardwood	120	N/A	FD30S	None	None	None	None	None	None	None	Flat Matte Black		
05	114	DRS	A05	Gas meter cupboard	500 x 500	N/A	N	S	Painted hardwood	None	Painted hardwood	120	N/A	FD30S	None	None	None	None	None	None	None	Flat Matte Black		
05	115	DRS	A05	Gas meter cupboard	500 x 500	N/A	N	S	Painted hardwood	None	Painted hardwood	120	N/A	FD30S	None	None	None	None	None	None	None	Flat Matte Black		
05	116	DRS	A05	Gas meter cupboard	500 x 500	N/A	N	S	Painted hardwood	None	Painted hardwood	120	N/A	FD30S	None	None	None	None	None	None	None	Flat Matte Black		
05	117	DRS	A05	Gas meter cupboard	500 x 500	N/A	N	S	Painted hardwood	None	Painted hardwood	120	N/A	FD30S	None	None	None	None	None	None	None	Flat Matte Black		

1076_sD-100 - DOOR SCHEDULE																										
Job Name		72 Broadwick Street					Job No.		1076														BuckleyGrayYeoman			
Date		Revision		Reason for Issue		Notes																				
12/11/2018		P1		Stage 3 Issue		Refer to NBS L20 and P21 and BGY Series sD drawings and BGY - T-sheet																				
24/05/2019		P2		Preliminary Issue		Revisions since last issue indicated in bold red text																				
20/06/2019		T1		Stage 2 tender		* Clear opening as measured in accordance with approved document B2, diagram C2																				
05/07/2019		T2		Stage 2 tender addendum																						
29/07/2019		T3		Updated to some leaf finishes and structural openings																						
06/08/2019		T4		Updates to some structural openings																						
19/09/2019		T5		General updates																						
16/12/2019		C1		Issued for Construction																						
24/01/2020		C2		Door 01-29 added																						
08/06/2020		C3		Doors 00-25 & 03-70 & 4th floor updated, ground floor doors added																						
TAKE DIMENSIONS ON SITE TO CONFIRM ALL EXISTING OPENING SIZES						MIN. CLEAR OPENING (required to one door)*	VISION PANEL	DOUBLE (D) OR SINGLE (S)	LEAF FINISH	KICKPLATE	FRAME FINISH	PARTITION DEPTH (mm Inc. finishes but not joinery overcladding)	ACCOUSTIC RATING (min sound reduction index dB R)	FIRE RATING	DOOR CLOSER	MANUAL LOCKING	ACCESS CONTROL	SECURITY	Signage	Ironmongery finish	OTHER REQUIREMENTS	IRONMONGERY SET				
05	110	DRS	A05	Gas meter cupboard	500 x 500	N/A	N	S	Painted hardwood	None	Painted hardwood	120	N/A	FD30S	None	None	None	None	None	Flat Matte Black						
05	111	DRS	A05	Gas meter cupboard	500 x 500	N/A	N	S	Painted hardwood	None	Painted hardwood	120	N/A	FD30S	None	None	None	None	None	Flat Matte Black						
05	120	DRS	A05	Gas meter cupboard	500 x 500	N/A	N	S	Painted hardwood	None	Painted hardwood	120	N/A	FD30S	None	None	None	None	None	Flat Matte Black						
05	121	DRS	A05	Gas meter cupboard	500 x 500	N/A	N	S	Painted hardwood	None	Painted hardwood	120	N/A	FD30S	None	None	None	None	None	Flat Matte Black						
05	122	DRS	A05	Gas meter cupboard	500 x 500	N/A	N	S	Painted hardwood	None	Painted hardwood	120	N/A	FD30S	None	None	None	None	None	Flat Matte Black						
05	123	DRS	A05	Gas meter cupboard	500 x 500	N/A	N	S	Painted hardwood	None	Painted hardwood	120	N/A	FD30S	None	None	None	None	None	Flat Matte Black						
05	124	DRS	A05	Gas meter cupboard	500 x 500	N/A	N	S	Painted hardwood	None	Painted hardwood	120	N/A	FD30S	None	None	None	None	None	Flat Matte Black						
05	125	DRS	A05	Gas meter cupboard	500 x 500	N/A	N	S	Painted hardwood	None	Painted hardwood	120	N/A	FD30S	None	None	None	None	None	Flat Matte Black						
05	126	DRS	A05	Store cupboard	500 x 500	N/A	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	Flat Matte Black						
05	127	DRS	A05	Store cupboard	500 x 500	N/A	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	Flat Matte Black						
05	128	DRS	A05	Store cupboard	500 x 500	N/A	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	Flat Matte Black						
05	129	DRS	A05	Store cupboard	500 x 500	N/A	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	Flat Matte Black						
05	130	DRS	A05	Store cupboard	500 x 500	N/A	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	Flat Matte Black						
05	131	DRS	A05	Store cupboard	500 x 500	N/A	N	S	Painted hardwood	None	Painted hardwood	120	N/A	None	None	None	None	None	None	Flat Matte Black						
05	132	DRS	R02	Core 1	450 x 650	to fit cabinet	N	S	Plasterboard	None	Concealed metal	102	N/A	FD60S	None	Fire person's key	None		Dry riser'	Flat Matte Black						
05	133	DRS	R01	Plant	1200 x 2200	N/A	N	D	Painted timber	None	Painted timber	existing	N/A	FD60S	None	Eurocylinder	None		Fire door keep locked lollipop to leading edge	Flat Matte Black						
05	134	DRS	R01	Plant	1200 x 2200	N/A	N	D	Painted timber	None	Painted timber	existing	N/A	FD60S	None	Eurocylinder	None		Fire door keep locked lollipop to leading edge	Flat Matte Black						
05	135	DRS	E06	Gas Meter Room	910 x 2100	850	N	S	Metal wrapped timber PPC Finish	Yes	Metal wrapped timber PPC Finish	N/A	N/A	FD60S	None	Digilock	None		Fire door keep locked lollipop to leading edge	Flat Matte Black						
05LL	1	DRS	R10	Fifth Floor Lower Level	1200x 925	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	2	DRS	R10	Fifth Floor Lower Level	1010x975	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	3	DRS	R10	Fifth Floor Lower Level	1010x975	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	4	DRS	R10	Fifth Floor Lower Level	1010x975	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	5	DRS	R10	Fifth Floor Lower Level	1010x975	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	6	DRS	R10	Fifth Floor Lower Level	1200x 800	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	7	DRS	R10	Fifth Floor Lower Level	1010x975	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	8	DRS	R10	Fifth Floor Lower Level	1010x975	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	9	DRS	R10	Fifth Floor Lower Level	1010x975	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	10	DRS	R10	Fifth Floor Lower Level	1010x975	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	11	DRS	R10	Fifth Floor Lower Level	1010x975	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	12	DRS	R10	Fifth Floor Lower Level	1010x975	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	13	DRS	R10	Fifth Floor Lower Level	1010x975	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	14	DRS	R10	Fifth Floor Lower Level	1010x975	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	15	DRS	R10	Fifth Floor Lower Level	1010x975	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	16	DRS	R10	Fifth Floor Lower Level	1010x975	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	17	DRS	R10	Fifth Floor Lower Level	1010x810	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	18	DRS	R10	Fifth Floor Lower Level	1010x810	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	19	DRS	R10	Fifth Floor Lower Level	1010x975	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	20	DRS	R10	Fifth Floor Lower Level	1200 x 740	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	21	DRS	R10	Fifth Floor Lower Level	1010x890	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	22	DRS	R10	Fifth Floor Lower Level	1010x975	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	23	DRS	R10	Fifth Floor Lower Level	1010x975	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	24	DRS	R10	Fifth Floor Lower Level	1200 x 700	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	25	DRS	R10	Fifth Floor Lower Level	1010x975	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	26	DRS	R10	Fifth Floor Lower Level	1010x975	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	27	DRS	R10	Fifth Floor Lower Level	1010x975	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	28	DRS	R10	Fifth Floor Lower Level	1010x975	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
05LL	29	DRS	R10	Fifth Floor Lower Level	1010x975	N/A	N	S	Powder coated metal	None	Powder coated metal	100	N/A	FD30S	None	Eurocylinder	None			Satin Stainless Steel						
06	1	DRS	E06	Plant	1340 x 2100	1200	N	D	Metal wrapped timber, PPC finish	None	PPC Metal warpped timber		N/A	None	None	Eurocylinder	None		None	Satin Stainless Steel						
06	2	DRS	E06	Plant	1010 x 2100	925	N	S	Metal wrapped timber, PPC finish	None	PPC Metal warpped timber		N/A	None	N/A					Satin Stainless Steel						
06	3	DRS	E06	Plant	1340 x 2100	1200	N	D	Metal wrapped timber, PPC finish	None	PPC Metal warpped timber		N/A	None	N/A					Satin Stainless Steel						
06	6	DRS	C02	WC	1010 x 2200	850	N																			

BuckleyGrayYeoman

1076_SD-100 - DOOR SCHEDULE																			BuckleyGrayYeoman																
Job Name		72 Broadwick Street					Job No.		1076																										
Date		Revision		Reason for Issue		Notes																													
12/11/2018		P1		Stage 3 Issue		Refer to NBS L20 and P21 and BGY Series sD drawings and BGY - T-sheet																													
24/05/2019		P2		Preliminary Issue		Revisions since last issue indicated in bold red text																													
20/06/2019		T1		Stage 2 tender		* Clear opening as measured in accordance with approved document B2, diagram C2																													
05/07/2019		T2		Stage 2 tender addendum																															
29/07/2019		T3		Updated to some leaf finishes and structural openings																															
06/08/2019		T4		Updates to some structural openings																															
19/09/2019		T5		General updates																															
16/12/2019		C1		Issued for Construction																															
24/01/2020		C2		Door 01-29 added																															
08/06/2020		C3		Doors 00-25 & 03-70 & 4th floor updated, ground floor doors added																															
TAKE DIMENSIONS ON SITE TO CONFIRM ALL EXISTING OPENING SIZES																																			
DOOR FLOOR	DOOR NUMBER	DOOR TYPE		LOCATION	STRUCTURAL OPENING W x H (mm)	MIN. CLEAR OPENING (required to one door)*	VISION PANEL	DOUBLE (D) OR SINGLE (S)	LEAF FINISH	KICKPLATE	FRAME FINISH	PARTITION DEPTH (mm Inc. finishes but not joinery overcladding)	ACCOUSTIC RATING (min sound reduction index dB R)	FIRE RATING	DOOR CLOSER	MANUAL LOCKING	ACCESS CONTROL	SECURITY	Signage	Ironmongery finish	OTHER REQUIREMENTS	IRONMONGERY SET													
06	10	DRS	R08	Riser	1200 x 2200	N/A	N	D	Plasterboard	None	Conceaied metal	102	N/A	FD60S	None	Eurocylinder	None		Fire door keep locked lollipop to leading edge	Flat Matte Black															
06	11	DRS	R08	Riser	1200 x 2200	N/A	N	D	Plasterboard	None	Conceaied metal	102	N/A	FD60S	None	Eurocylinder	None		Fire door keep locked lollipop to leading edge	Flat Matte Black															
06	12	DRS	L01	Lift		900		D						FD60	N/A					Flat Matte Black															
06	13	DRS	R01	Riser	1340 x 2200	N/A	N	D	Plasterboard	None	Conceaied metal	119	N/A	FD60	None	Eurocylinder	None		Fire door keep locked lollipop to leading edge	Flat Matte Black															
06	14	DRS	C06	Cloakroom	1940 x 2200	825	N	D	Timber veneer	None	Hardwood	102	N/A	FD60S	Conceaied	Eurocylinder	V-lock with card reader		Fire door keep shut lollipop to leading edge	Flat Matte Black															
06	15	DRS	R01	Riser	1540 x 2200	N/A	N	D	Painted timber	None	Painted timber	119	N/A	FD60	None	Eurocylinder	None		Fire door keep locked lollipop to leading edge	Flat Matte Black															
06	17	DRS	E08	Terrace	1250 x 2100	1150	N	S	PPC coated Metal wrapped timber	N/A	PPC coated Metal wrapped timber		N/A	N/A	N/A	Eurocylinder	None		None	Satin Stainless Steel															
06	18	DRS	C04	Core 01	1250 x 2200	1050	N/A	S	Glazed	None	Hardwood	N/A	N/A	FD60S	Conceaied	Eurocylinder	V-lock with card reader		Fire door keep shut lollipop to leading edge	Flat Matte Black															
06	19	DRS	E06	Plant	1010 x 2100	925	N	S	Metal wrapped timber, PPC finish		PPC Metal warpped timber		N/A	None	None	Eurocylinder	None		None	Satin Stainless Steel															
06	20	DRS	E06	Plant	1340 x 2100	1200	N	D	Metal wrapped timber, PPC finish		PPC Metal warpped timber		N/A	None	None	Eurocylinder	None		None	Satin Stainless Steel															
06	21	DRS	E06	Plant	1010 x 2100	925	N	S	Metal wrapped timber, PPC finish		PPC Metal warpped timber		N/A	None	None	Eurocylinder	None		None	Satin Stainless Steel															
B1	1	DRS	C08	Gas Meter Cupboards	1340 x 990	N/A	N	D	Painted Timber	None	Painted Timber	100mm	N/A	FD60S	None	Eurocylinder	None		Fire door keep shut lollipop to leading edge	Satin Stainless Steel	Fire rated grille, as per specification														
B1	2	DRS	C08	Gas Meter Cupboards	1340 x 1280	N/A	N	D	Painted Timber	None	Painted Timber	100mm	N/A	FD60S	None	Eurocylinder	None		Fire door keep shut lollipop to leading edge	Satin Stainless Steel	Fire rated grille, as per specification														
B1	3	DRS	C08	Gas Meter Cupboards	1340 x 1880	N/A	N	D	Painted Timber	None	Painted Timber	100mm	N/A	FD60S	None	Eurocylinder	None		Fire door keep shut lollipop to leading edge	Satin Stainless Steel	Fire rated grille, as per specification														
B1	4	DRS	C08	Gas Meter Cupboards	1340 x 2020	N/A	N	D	Painted Timber	None	Painted Timber	100mm	N/A	FD60S	None	Eurocylinder	None		Fire door keep shut lollipop to leading edge	Satin Stainless Steel	Fire rated grille, as per specification														
B2	1	DRS	C07	Store	1010 x 2100	925	N	S	Painted timber	Yes	Painted timber	100mm	N/A	FD30S	None	Eurocylinder	None		Fire door keep locked lollipop to leading edge	Satin Stainless Steel															
B2	2	DRS	C08	Store	1340 x 2100	1200	N	D	Painted timber	Yes	Painted timber	100mm	N/A	FD30S	None	Eurocylinder	None		Fire door keep locked lollipop to leading edge	Satin Stainless Steel															
B2	3	DRS	C07	Riser	1010 x 2100	925	N	S	Painted timber	Yes	Painted timber	100mm	N/A	FD30S	Surface Mounted	Eurocylinder	None		Fire door keep shut lollipop to leading edge	Satin Stainless Steel															
B2	4	DRS	C08	Store	1340 x 2100	1200	N	D	Painted timber	Yes	Painted timber	100mm	N/A	FD60	None	Eurocylinder	None		Fire door keep locked lollipop to leading edge	Satin Stainless Steel															
B2	5	DRS	C08	Riser	1340 x 2100	1200	N	D	Painted timber	Yes	Painted timber	100mm	N/A	FD60S	None	Eurocylinder	None		Fire door keep locked lollipop to leading edge	Satin Stainless Steel															
B2	6	DRS	C08	Ramp	2240 x 2100	2000	Y	D	Painted timber	Yes	Painted timber	100mm	N/A	FD30S	Conceaied	Eurocylinder	On hold open maglocks linked to fire alarm			Satin Stainless Steel															
B2	7	DRS	C07	Store	550 x 2100	N/A	N	S	Painted timber	Yes	Painted timber	100mm	N/A	FD30S	None	Eurocylinder	None		Fire door keep locked lollipop to leading edge	Satin Stainless Steel															
B2	8	DRS	C06	Resi. Cycles	2570 x 2250	N/A	Y	D	Painted timber	Yes	Painted timber	100mm	N/A	FD30S	Surface Mounted	Deadlock Push to exit Automatic opening	Fob controlled Access Control UKPN override		Fire door keep shut lollipop to leading edge	Satin Stainless Steel															
B2	9	DRS	C07	Transformer Area	Existing 1010 x 2100 (nom.)	existing	N	S	Painted timber	Yes	Painted timber	Existing	N/A	<u>240 minutes</u>	Surface Mounted	Eurocylinder, with UKPN key	None		Fire door keep shut lollipop to leading edge	Satin Stainless Steel															
B2	12	DRS	C08	Plant	1340 x 2100	1200	N	D	Painted timber	Yes	Painted timber	100mm	N/A	FD30S	None	Eurocylinder	None		Fire door keep locked lollipop to leading edge	Satin Stainless Steel															
B2	13	DRS	C08	Plant	Existing 1425 x 2100 (nom.)	existing	N	D	Painted timber	Yes	Painted timber	Existing	N/A	<u>240 minutes</u>	Surface Mounted	Eurocylinder	None		Fire door keep shut lollipop to leading edge	Satin Stainless Steel															
B2	14	DRS	C08	Plant	1340 x 2100	1200	N	D	Painted timber	Yes	Painted timber	100mm	N/A	FD60S	None	Eurocylinder	None		Fire door keep locked lollipop to leading edge	Satin Stainless Steel															
B2	15	DRS	C08	Plant	1340 x 2100	1200	N	D	Painted timber	Yes	Painted timber	100mm	N/A	FD60S	None	Eurocylinder	None		Fire door keep locked lollipop to leading edge	Satin Stainless Steel															
B2	16	DRS	WC02	WCs	910 x 2100	825	N	S	High pressure laminate	None	High pressure laminate	N/A Door panel are partition integral	N/A	None	Rising butt hinge with damper	Bathlock	None		Shower	Flat Matte Black															
B2	17	DRS	WC02	WCs	910 x 2100	825	N	S	High pressure laminate	None	High pressure laminate	N/A Door panel are partition integral	N/A	None	Rising butt hinge with damper	Bathlock	None		Shower	Flat Matte Black															
B2	18	DRS	WC02	WCs	910 x 2100	825	N	S	High pressure laminate	None	High pressure laminate	N/A Door panel are partition integral	N/A	None	Rising butt hinge with damper	Bathlock	None		Shower	Flat Matte Black															
B2	19	DRS	WC02	WCs	910 x 2100	825	N	S	High pressure laminate	None	High pressure laminate	N/A Door panel are partition integral	N/A	None	Rising butt hinge with damper	Bathlock	None		Shower	Flat Matte Black															

1076_sD-100 - DOOR SCHEDULE

Job Name	72 Broadwick Street			Job No.	1076
Date	Revision	Reason for Issue		Notes	
12/11/2018	P1	Stage 3 Issue		Refer to NBS L20 and P21 and BGY Series sD drawings and BGY - T-sheet Revisions since last issue indicated in bold red text * Clear opening as measured in accordance with approved document B2, diagram C2	
24/05/2019	P2	Preliminary Issue			
20/06/2019	T1	Stage 2 tender			
05/07/2019	T2	Stage 2 tender addendum			
29/07/2019	T3	Updated to some leaf finishes and structural openings			
06/08/2019	T4	Updates to some structural openings			
19/09/2019	T5	General updates			
16/12/2019	C1	Issued for Construction			
24/01/2020	C2	Door 01-29 added			
08/06/2020	C3	Doors 00-25 & 03-70 & 4th floor updated, ground floor doors added			

BuckleyGrayYeoman

TAKE DIMENSIONS ON SITE TO CONFIRM ALL EXISTING OPENING SIZES

[illegible]