


TYPE B5 DOORS - PAINTED FINISH WITH PULL HANDLES & PUSH PLATES.

DOUBLE DOORS

PULL SIDE ELEVATION

PUSH SIDE ELEVATION



01 ELEVATIONS  
1:10 @ A1

SEE DD-04  
FOR TYPICAL  
DETAILS

<p>DRAWING NOTES:</p> <p>All dimensions to be checked on site prior to commencement of any works, and/or preparation of any shop drawings.</p> <p>Sizes of and dimensions to any structural elements are indicative only. See structural engineers drawings for actual sizes/dimensions.</p> <p>Sizes of and dimensions to any service elements are indicative only. See service engineers drawings for actual sizes and dimensions.</p> <p>This drawing to be read in conjunction with all other Architect's drawings, specifications and other Consultants' information.</p> <p>All proprietary systems shown on this drawing are to be installed strictly in accordance with the Manufacturers/Suppliers recommended details.</p> <p>Any discrepancies between information shown on this drawing and any other contract information or manufacturers/suppliers recommendations is to be brought to the attention of the Architect.</p> <p>DO NOT SCALE FROM THIS DRAWING.</p>	<p>DRAWING NOTES:</p> <p>For further door information, please refer to:</p> <p>BGY Door Schedule.</p> <p>BGY Specification L20.</p> <p>BGY "DT" Series drawings (Door Type).</p> <p>BGY "FS" Series drawings (Fire Strategy).</p> <p>MTT / Hann Tucker Acoustic Report.</p> <p>3v Ironmongery Schedule.</p>	<p>Door thicknesses vary depending on fire ratings.</p> <p>FD30 / FD30S: 44mm FD60 / FD60S: 54mm</p> <p>This is subject to further design development by door supplier.</p> <p>Doors with concealed door closers may also require 54mm thickness.</p>	<p>T1</p> <p>STAGE 4 ISSUE</p>	<p>05/06/19</p>	DRAWING		<p>Buckley Gray Yeoman</p> <p>Studio 4.04 The Tea Building 56 Shoreditch High Street London E1 6JJ T: 020 7033 9913 F: 020 7033 9914</p> <p>CLIENT</p> <p>25 Cannon Street Limited</p> <p>PROJECT</p> <p>25 Cannon Street, EC4M</p>			
					Door Details 05					
					SCALE	1:10 @ A1 (1:20 @ A3)		DRAWING FILE REF	-	
					DATE	May 2019		DRAWN BY	AH	
					DWG No.	1069_DD_05		REVISION	T1	
					DRAWING STATUS				STAGE 4	
					STATUS				REVISION	DATE