



DRAWING NOTES:

All dimensions to be checked on site prior to commencement of any works, and/or preparation of any shop drawings.

Sizes of and dimensions to any structural elements are indicative only. See structural engineers drawings for actual sizes and dimensions.
























Sizes of and dimensions to any service elements are indicative only. See service engineers drawings for actual sizes and dimensions.

This drawing to be read in conjunction with all other Architect's drawings, specifications and other Consultants' information.

All proprietary systems shown on this drawing are to be installed strictly in accordance with the Manufacturers/Suppliers recommended details.

Do not scale from information shown on this drawing and any other contract information or manufacturers/suppliers recommendations is to be brought to the attention of the Architect.

DO NOT SCALE FROM THIS DRAWING.

DRAWING NOTES:		FIRE-FIGHTING LIFT		120 MIN (OUT-IN) / 60 MIN (IN-OUT) INTEGRITY & INSULATION	<div>ESCAPE ROUTES</div> <div> ESCAPE DISTANCES</div> <div> ESCAPE ROUTE FOR OFFICE USERS</div> <div> ESCAPE ROUTE FOR MAINTENANCE OPERATIVES</div> <div> SEE BOY RC_SERIES & MTT LIGHTING PLANS FOR ILLUMINATED FIRE EXIT SIGNS</div>		FD 120S DOOR	<div>C1</div> <div>T1</div> <div>STATUS</div> <div>REVISION</div>	<div>16/01/20</div> <div>05/06/19</div> <div>DATE</div>	<div>DWG No:</div> <div>1069_FS-04</div> <div>REVISION</div> <div>C1</div>	CLIENT	25 Cannon Street Limited	PROJECT	25 Cannon Street, EC4M	<div>DRAWING</div> <div>Fire Strategy Proposed Fourth Floor Plan</div> <div>SCALE</div> <div>1:100 @ A0</div> <div>DRAWING FILE REF</div> <div>1069_A-x-P-Fire Strategy</div> <div>STUDIO</div> <div>Studio 4.04 The Tea Building 56 Shoreditch High Street London E1 6JJ T: 020 7033 9913 F: 020 7033 9914</div>
		STAIR 1		60 MINUTES INTEGRITY AND INSULATION			FD 120 DOOR								
		STAIR 2 (FIRE-FIGHTING)		30 MINUTES INTEGRITY AND INSULATION			FD 60S DOOR								
		STAIR 3, 5TH FLOOR TO ROOF		MAINTAIN EXISTING UKPN FIRE ENCLOSURE RATING			FD 60 DOOR								
		SMOKE EXTRACT SHAFT & AOV		DRY RISER OUTLET			FD 30S DOOR								
		FIRE / SMOKE CURTAIN (FR 30 MIN. WITH SMOKE SEALS)		DRY RISER CONNECTION POINT			FD 30 DOOR								
	FINAL EXIT, GROUND FLOOR			<div> ILLUMINATED 'RUNNING MAN' FIRE EXIT SIGNS</div> <div></div>											