

<div>Buckley Gray Yeoman</div> <div>Studio 4.04, The Tea Building</div> <div>56 Shoreditch High Street,London E1 6JJ</div> <div>Tel: 020 7033 9913 Fax: 020 7033 9914</div>				MOCKUP SCHEDULE		
				Job Name : 1069_25 Cannon Street		
				Date of Issue : 12.07.2019		
				Document Number : 1069 - SA-DC		
				STAGE 4		REV -
MOCKUP NUMBER	DESCRIPTION	DRAWING REF.	LOCATION	MOCK-UP / SAMPLE / PROTOTYPE BENCHMARKING	APPROXIMATE SIZE (FINAL SIZES TO BE CONFIRMED)	NOTES
01	Main Entrance - Glazed pass door, decorative panel & granite base	1069-SA-10	Western Entrance Portico	Mock-up Offsite	1200 (h) x 1000 (d) x 700 (w)	
02	Typical Ground Floor Window interface detail - Window and decorative screen corner detail including stone reveal, mockup to include MEP louvre behind decorative grille.	1069-SA-10	Western Elevation - Reception glazing	Mock-up Offsite	1000 (h) x 1000 (w) x 300 (d)	
03	5th floor typical glazing detail - curtain walling transom, glazing and stone cill detail at base and CW head detail with framework, spandrel panel and glazed balustrade.	1069-SA-10	Western Elevation - Fifth floor façade	Mock-up Offsite & Prototype	1800 (h) x 1000 (w) x 500 (d)	Step 1 - Pattern scale size and design tested initially in timber for onsite testing (PT) Step 2 - Curtain walling transom and stone cill corner detail & CW corner detail with framework, spandrel panel and glazed balustrade. Reduced height mockup. (MU/OFF)
04	4th Floor Window Detail - Glazing, metal cill, with framework	1069-SA-10	Western Elevation - Fourth floor façade	Mock-up Onsite	N/A	Full height installation of glazing unit within the increased opening of the existing 4th floor window
05	4th Floor Terrace Balustrade Detail - Stone cill corner detail and glazed balustrading	1069-SA-10	Western Elevation - Fourth floor terrace balustrade	Benchmarking Onsite	N/A	
06	Typical 2nd / 3rd floor detail - Window, spandrel and stone reveal	1069-SA-01	Western Elevation - 3rd Floor	Mock-up Offsite & Prototype	Prototype - Full size Mock-up - 1400 (h) x 1000 (w) x 300 (d)	Step 1 - Test pattern size scale and design in timber. (PT) Step 2 - Window spandrel detail and stone reveal (MU/OFF)
07	Reception glazed screen - Obscure glazed screen, with glazed sliding door and balustrading	1069-SA-01	Ground Floor - Screen between reception and café	Mock-up Offsite	1200 (h) x 1000 (w) x 300 (d)	
08	Reception feature wall detail Textured plaster profiled wall panel with bench, seat pad and recessed ceiling slot.	1069-SA-01	Ground Floor Reception	Sampling, Prototype & Mock-up Offsite	Sampling - 400x400 Prototype 1400 (h) x 1400 (w) x 300 (d) Mock-up Offsite - 1800 (h) x 3000 (w) x 300 (d)	Step 1 - Sampling to confirm finish and texture. (SA) Step 2 - Textured plaster profiled wall panel. Half height wall panel (PT). Step 3 - Full mockup including bench, seat pad, fluted panel and recessed ceiling slot. (MU/OFF)
09	Core Cladding - Corner detail of machined granite wall panel	1069-SA-00	Ground Floor Reception	Sample	1000 (h) x 500 (w) x 500 (d)	
10	Reception Lift Detail - Bronzed metal lift door and bronzed metal over-panel.	1069-SA-00	Ground Floor Reception - Core	Sample	1000 (h) x 1000 (w) x 200 (d)	
11	Café Steps - Stair tread detail and stair balustrade. Sub-contractor mockup review	1069-SA-00	Ground Floor Reception - Steps to café	Sample (Sub contractor Mockup Review)	1500 (h) x 1000 (w) x 500 (d)	Sample should include 2 no steps, landings and balustrade details
12	Typical Lift Detail - Bronzed metal lift door and bronzed metal over-panel including call button.	1069-SA-01	Typical Floor - Core	Benchmarking Onsite	1000 (h) x 1000 (w) x 200 (d)	First installed lift door, surround, flooring interface and call button
13	Typical Stair Details - Stair tread detail and stair balustrading.	1069-SA-01	Typical Floor - Staircase	Sample (Sub contractor Mockup Review)	1500 (h) x 1000 (w) x 500 (d)	Sample should include 2 no steps, landings and balustrade details as it turns 180 degrees
14	Reception Atrium Glazing Detail - Corner detail of atrium glazed partition with mullion, transom, fluted panel and metal mesh screen	1069-SA-01	First Floor - Double height space	Mock-Up Offsite	1200 (h) x 1000 (w) x 200 (d)	
15	Typical Urinal Detail - Urinal back panel with fluted timber panel, back painted glass	1069-SA-01	Typical Floor - Male WC	Sample	1200 (h) x 1000 (w)	
16	Typical WC Sink Detail - Basin with related sanitaryware, mirror unit and lighting	1069-SA-01	Typical Floor -Female WC	Mock-Up Offsite	Full height x 1500 (w)	
17	Typical Cubicle - WC cubicle with related sanitaryware	1069-SA-01	Typical Floor -Female WC	Benchmarking Offsite	Full cubicle	
18	Communal Terrace Stair Detail - External stair tread detail and stair balustrading.	1069-SA-05	Fifth Floor - External Light well	Sample Review - (Sub contractor Mockup Review)	1500 (h) x 1000 (w) x 500 (d)	Sample should include 2 no steps, landings and balustrade details
19	Triple Height Feature Window - Projecting entrance glazing, mockup to include blind box behind.	1069-SA-00	Ground Floor Reception	Mock-up Offsite	1500 (h) x 1000 (w) x 800 (d)	
20	Reception Fluted Panels - Internal & External Corner detail of Fluted panels.	1069-SA-00	Ground Floor Reception	Mock-up Offsite	1000 (h) x 1000 (w) x 1000 (d)	
21	Reception Desk Joinery Items key interfaces	1069-SA-00	Ground Floor Reception	Mock-up Offsite	500 (h) x 500 (w) x 300 (d)	
22	Divider unit - Joinery Items key interfaces C28:C32	1069-SA-00	Ground Floor Reception	Mock-up Offsite	500 (h) x 500 (w) x 300 (d)	
23	High level table - Joinery Items key interfaces	1069-SA-00	Ground Floor Reception	Mock-up Offsite	500 (h) x 500 (w) x 300 (d)	
24	Metal Mesh, large scale sample review.	1069-SA-00	Ground Floor Reception - seating area	Sample	1800 (h) x 1200 (w)	
B1	Shower cubicle with related sanitaryware	1069-SA-B1	EOT - Female changing	Benchmarking Offsite	Full cubicle	

Buckley Gray Yeoman Studio 4.04, The Tea Building 56 Shoreditch High Street,London E1 6JJ Tel: 020 7033 9913 Fax: 020 7033 9914				MOCKUP SCHEDULE		
				Job Name : 1069_25 Cannon Street		
				Date of Issue : 12.07.2019		
				Document Number : 1069 - SA-DC		
				STAGE 4		REV -
MOCKUP NUMBER	DESCRIPTION	DRAWING REF.	LOCATION	MOCK-UP / SAMPLE / PROTOTYPE BENCHMARKING	APPROXIMATE SIZE (FINAL SIZES TO BE CONFIRMED)	NOTES
B2	Basin with related sanitaryware	1069-SA-B1	EOT - Female changing	Benchmarking Offsite	500 (h) x 1000 (w) x 500 (d)	Mirror unit above & timber unit below will be tested through item 16
B3	Full-height locker with integrated bench	1069-SA-B1	EOT - Female changing	Benchmarking Offsite	Full height x width of one locker	
B4	Twin Cycle Stand	1069-SA-B1	Cycle Facilities	Product Visit	N/A	Supplier to advise and arrange access to scheme that has the same product installed
B5	Vertical Cycle Stand	1069-SA-B1	Basement Cycle Entrance Lobby	Product Visit	N/A	Supplier to advise and arrange access to scheme that has the same product installed
B6	Cycle lift	1069-SA-B1	Ground / Basement Cycle Entrance	Product Visit	N/A	Manufacturer to provide guidance on locations of installed operational lift. Client team to visit to review operation