



All dimensions to be verified on site. All discrepancies to be clarified with project Architect.

This drawing is the property of Benoy Architects and is issued on the condition it is not reproduced, retained or disclosed to any unauthorised person, either wholly or in part without written consent of Benoy Ltd.

Ordnance Survey material is used with the permission of The Controller of HMSO, Crown copyright AR 159670.

The CDM hazard management procedures for the Benoy aspects of the design of this project are to be found on the "Benoy - Designer's Hazard Identification and Management Sheet" and/or drawings. The full project design teams comprehensive set of hazard management procedures are available from the Planning Supervisor/Safety Coordinator appointed for the project.



E00 12.05.20 First Issue OM VC

Rev	Date	Description	By	Checked
-----	------	-------------	----	---------

Client

Victoria Square Woking Limited
5 Olympus Court
Olympus Avenue
Leamington Spa, CV34 6RZ

Structural Engineer


Doran Consulting
Norwood House
96-102 Great Victoria Street
Belfast, BT2 7BE
+44 (0) 28 9033 3443

M&E Engineer

HOARE LEA
Western Transit Shed
12-13 Stable Street
London, N1C 4AB
+44 (0) 20 3668 7100

Landscape Architect

Gillespies
1 St John's Square
London
EC1M 4DH
+44 (0) 20 7253 2929



Project

VICTORIA SQUARE DEVELOPMENT, WOKING

Drawing Title

EXPORT HOUSE - TEMPORARY FACILITIES - FURNITURE LAYOUT

MC

Drawn By	Checked By
OM	VC

Scale @ A1	Date
1 : 50	06/05/20

Project No.	Drawing No.	Rev
3540	BNY-EX(72)0101	E00

Status

FOR TENDER

www.benoy.com 1 Monkwell Square London, EC2M 1SR, United Kingdom	1 +44 (0)20 7726 8999 1 +44 (0)20 7775 3900 e london@benoy.com
---	--

GENERAL NOTES:

- For Demolition proposal refer to EX(05)0005, EX(05)0006, EX(05)0007
- For scope plan refer to BNY-EX(20)0101
- For proposal drg refer to EX(20)0102, EX(22)AL01, EX(45)0102
- For Staff Kitchen layouts refer to EX(72)AL01, EX(73)AL01
- For Office elevations refer to EX(72)AL02

GENERAL NOTES:

- All structural elements to be retained
- Refer to MEP engineers drawing and specification for detail on power and data supply provision.
- MEP design to match general furniture arrangements.
- Setting out of services controls should be included within the height band of 400-1200mm from the floor and min. 350mm away from any internal room corner
- Refer to NBS specification Z99
- Single PVC-u Wall Guard to be provided across the Staff kitchen area (omit kitchen) @ 1000 mm above FFL
- Top: WGS125 - P20/170A
- Stratum Skirtings to be provided where required - STM7510 - M50/770A
- No cooking facilities to be provided

